

**MINUTES**  
**WORCESTER TOWNSHIP BOARD OF SUPERVISORS**  
**WORKSHOP MEETING**  
**WORCESTER TOWNSHIP COMMUNITY HALL**  
**July 17, 2024 – 6:30 PM**

**CALL TO ORDER**

The meeting was called to order at 6:32 PM.

**PLEDGE OF ALLEGIANCE**

**ATTENDANCE**

All members of the Board of Supervisors were present.

**ANNOUNCEMENTS:**

The Interim Township Manager stated that the meeting was being recorded for future broadcast.

**INFORMATIONAL ITEMS**

**PUBLIC COMMENT**

**WORKSESSION TOPICS**

**1. Zoning Ordinance Amendment Discussion**

Supervisor DeLello introduced the topic and suggested the board tackle the fence ordinance and signs first.

Supervisor Betz stated that the height of the fence used to be six feet and it was changed to five feet. Supervisor Betz said that six feet seems like a good height for a privacy fence.

Supervisor DeLello clarified the process and stated that they would not be passing anything. Supervisor DeLello then suggested that the board might want to consider other things in the fencing like setbacks and the possibility of chain link which he is not in favor of.

Supervisor Betz stated that the Township is very diverse and maybe should look at different rules for different areas. Supervisor Betz then asked for Supervisor Quigley's input for the more rural areas of the Township.

Supervisor Quigley said that six-foot fences would probably solve most problems, but setbacks might need to be changed.

Supervisor DeLello wrapped it up with a summary of what was discussed, that was the wish of the Board to raise the height of the fence to six feet and to possibly look at setbacks in different districts.

Supervisor DeLello then introduced the sign ordinance changes. This would be specifically illuminated signs. The current ordinance has external light sources. Supervisor DeLello stated that this ordinance was written to eliminate light pollution and with current technology the light pollution seems like it could be less from an internally illuminated sign.

Supervisor Quigley stated that modern technology has changed enough in his opinion that internally illuminated signs probably have less pollution, and this could also help eliminate bright spotlights.

Supervisor Betz says that there has been selective enforcement of internally illuminated signs and stated that the Township and fire department are exempt. He also stated that he feels that Schools should be allowed to have them. He then suggested that commercial districts should be allowed to have illuminated signs. He also suggested that the Board looks at the size of the sign.

Supervisor Quigley stated that the Board seems to do a good job looking for fairness in the ordinances.

Supervisor DeLello wrapped up the conversation with a quick summary suggesting the Board's support of internally illuminated signs. He followed it up with a suggestion that the size of signs be considered to be more modern.

Supervisor Betz stated that the King of Prussia sign ordinance could be looked at as a potential model.

Supervisor Quigley opened a discussion on athletic signage. He suggested that this could be modified.

Supervisor DeLello also stated that digital signage and internally illuminated are considered different things.

Solicitor Ralph stated that the county's model ordinance has many different definitions and those could be used in a draft of the ordinance.

Supervisor DeLello then moved into a discussion on accessory structures pointing out the height issue that the supervisors could bring up. Supervisor DeLello suggested that more definition in the ordinance could clear up confusion on zoning interpretation.

Supervisor Betz stated that he wanted to open this section because of a resident that wanted to put up a garage to put up a motor home undercover. Supervisor Betz stated that the height might be too low and cause people to put up buildings with flat roofs that look less aesthetically pleasing. He would like to have the height raised. Supervisor Betz stated that a 14-foot door would be preferable as that would fit most vehicles. He stated that if a building fit in the envelope it should be allowed to be built. Supervisor Betz also stated that different districts should be under different rules.

Supervisor Quigley stated that accessory structures are helpful for the homeowner, but the Township would have to deal with unhappy neighbors based on size and location of the structures. He also said that the vision and sight would be disrupted. Supervisor Quigley said that some structures are not being used as they initially intended.

Supervisor DeLello again tried to wrap up the discussion with a summary. He concluded that the Board would likely need to see a few accessory structure ordinances before they would be happy with any. He also suggested that the Board get each part individually as they are ready. Seeing as the fencing and signs should create more agreement than accessory structures.

## **OTHER BUSINESS**

### **PUBLIC COMMENT**

Ed Moor stated that common sense with illuminated signs he would like to see one sign for a shopping center rather than every store putting up a sign.

### **ADJOURNMENT**

The meeting was adjourned at 7:00 PM.

DRAFT

**MINUTES**  
**WORCESTER TOWNSHIP BOARD OF SUPERVISORS**  
**BUSINESS MEETING**  
**WORCESTER TOWNSHIP COMMUNITY HALL**  
**July 17, 2024 - 7:00 PM**

**CALL TO ORDER**

The meeting was called to order at 7:07 PM.

**PLEDGE OF ALLEGIANCE**

**ATTENDANCE**

All members of the Board of Supervisors were present.

**ANNOUNCEMENTS:**

The Interim Township Manager stated that the meeting was being recorded for future broadcast and informed the public of three executive session that occurred on June 24, 2024 for contract negotiation, on July 15 and 16, 2024 for personnel matters.

He also added that the Board would need to add a motion to the Agenda to approve a Resolution in support of a three-million-dollar DCED multimodal fund grant. This item would be added as item C on the agenda under “MOTIONS”. A motion was made to add the item was made by Supervisor DeLello and seconded by Supervisor Betz. The motion was passed unanimously.

**INFORMATIONAL ITEMS**

**PUBLIC COMMENT**

**OFFICIAL ACTION ITEMS**

Consent Agenda

A motion to approve the consent agenda including June 19<sup>th</sup> work session and business meeting minutes, Treasurer’s Report and other Monthly Reports for June, and Bill payment for June 2024 in the amount of \$507,981.27 was made by Supervisor Betz and seconded by Supervisor Quigley. The motion passed unanimously.

**MOTION**

- a) Motion to approve a Resolution for the 1543 Trooper Road Lot Line Change.

John Evarts, township engineer, described the lot line change and stated that there is no development planned.

Supervisor DeLello confirmed that there were not any engineering problems. Mr. Evarts confirmed that there were no problems.

A motion was made by Supervisor Betz and seconded by Supervisor Quigly. It was passed unanimously.

- b) Motion to authorize the Interim Township Manager to execute an Agreement for traffic engineering services concerning the intersection and parking restrictions on Church Road.

Mr. Finnigan, Interim Township Manager gave a quick overview of the topic.

Supervisor DeLello stated that the traffic study would be the first step of the process. He asked Mr. Finnigan about the rest of the process.

Mr. Finnigan explained that the traffic study was the first step. This would be followed by engaging PENNDOT who has authority over signage like this. The Township would then need to pass an ordinance to enforce the signs and put up the signs.

Supervisor Quigley stated that signs could be a problem with whose property they go on. He then followed that with the signs probably are important. He would like to hear from the residents to see where they should go.

Supervisor Betz stated that box trucks are the problem, but normal cars are not the problem.

Supervisor Betz made the motion. Supervisor Quigley seconded the motion.

Supervisor DeLello opened the floor to public comment.

Supervisor Quigley mentioned that enforcement seems like it has been an issue in the past.

Mitchel Wexler lives at Wheatsheaf Village. Mr. Wexler stated speed and vision are issues in the morning. He additionally supports the township in a no parking ordinance.

Matt Andersson also a resident at Wheatsheaf Village. Mr. Andersson is the owner of one of the trucks in question. Mr. Andersson stated the Township said that parking the truck there was legal but some of the neighbors might be annoyed. Mr. Andersson stated that the State Police were out twice with them asking him to move the truck back once and the second time just following up on a report. Mr. Andersson also claimed that there are multiple residents in the community that do not care about the truck being parked where it is. Mr. Andersson also stated that he is looking for a permanent off site storage facility.

Supervisor DeLello clarified that it is not an attack on any individual. The motion is to approve engineering to see if there are sight line issues.

Supervisor Quigley stated this is a slow process and that to put up any signs might be a year long process.

The motion passed unanimously.

c) Motion to approve the Resolution 2024-09 for a DCED multimodal transportation grant.

Supervisor DeLello provided background on the grant and restated it would award 3 million dollars.

A motion was made by Supervisor Betz seconded by Supervisor Quigley. The motion was passed unanimously.

## **OTHER BUSINESS**

Supervisor DeLello gave an update about the environmental issues on the City View Project. Initial feedback given is that the process was followed.

Supervisor Quigley stated that City View is the gateway to the community, and he is unhappy with the look of the property. He is worried about the possible ground contamination with cars sitting on the property in the junk yard that was there.

Supervisor Betz said the earth smelled like raw fuel. He wants to be a good neighbor and checking the environmental impact is part of that.

Supervisor DeLello stated that he just wants things to be done right to protect the community.

Supervisor Quigley suggested that there might be some ordinances that could be enforced against the property to ensure compliance or to help with the unsightly junk on the property.

Supervisor DeLello stated that he is unsure about the ordinance if there is one the Township might consider taking an advantage of it.

Burt Heinz grew up in Fairview Village. He recalled that Sundays in the 1950s there were weekly tire and car burnings. He recalled that it would be a pile of tires and the smoke would go into the air. He stated that it was common practice and considered normal.

Supervisor Quigley expressed concerns over environmental issues again.

Supervisor DeLello suggested the hiring of an environmental engineer.

Supervisor Betz said that the property he remediated took 23 years and that looking at engineers that have experience with this type of site would be better than hiring someone who is just qualified.

Supervisor Betz asked the Solicitor if they were familiar about this type of environmental issues and since they were he suggested that they might know some engineers that would be well suited for this task.

Supervisor Quigley suggested that the Township start finding quotes and start working to see if the property is clean.

Mr. Finnigan stated that there is nothing that is preventing the developer from having already done the environmental study and could come in with plans tomorrow. Mr. Finnigan suggested that being on the

offensive would be better than playing defense and engaging an environmental engineer would be the best way to protect the Township.

Supervisor Quigley questioned the construction practices on the site.

Supervisor Quigley asked if the Township could get the reimbursement. Mr. Finnigan confirmed that this would come out of an escrow account.

Supervisor DeLello summarized the comments that the Board would like to see a couple more names for next meeting and would like to have someone appointed at the August meeting.

## **PUBLIC COMMENT**

Ed Moor, Worcester: Mr. Moore is in support of an environmental engineer. He also questioned the lack of appointment of a consultant at the June meeting.

Bob Andorn, Worcester: Mr. Andorn stated he wanted more information on the agenda for the work session. He also questioned fire hydrant expenditures as it is currently negative. He also commented that Church Road parking business vehicles on residential properties. His final comment was about City View possibly reaching out to the developer to address the aesthetic concern.

## **ADJOURNMENT**

The meeting was adjourned at 8:16 PM.

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures - Standard

08/15/2024  
10:36 AM

**Revenue Account Range:** First to Last  
**Expend Account Range:** First to Last  
**Print Zero YTD Activity:** No

**Include Non-Anticipated:** No

**Include Non-Budget:** No

**Year To Date As Of:** 07/31/24

**Current Period:** 07/01/24 to 07/31/24

**Prior Year:** Thru 12/31/23

<b>Revenue Account</b>	<b>Description</b>	<b>Prior Yr Rev</b>	<b>Anticipated</b>	<b>Curr Rev</b>	<b>YTD Rev</b>	<b>Excess/Deficit</b>	<b>% Real</b>
001-301-100-000	Property Taxes- Current	50,576.05	43,990.00	1,111.96	50,662.16	6,672.16	115
001-301-500-000	Property Taxes- Liened	785.07	500.00	85.80	596.12	96.12	119
001-301-600-000	Property Taxes- Interim	872.82	200.00	4.72	160.47	39.53	80
	<b>301 Total</b>	<b>52,233.94</b>	<b>44,690.00</b>	<b>1,202.48</b>	<b>51,418.75</b>	<b>6,728.75</b>	<b>115</b>
001-310-030-000	Per Capita Taxes- Delinquent	113.30	120.00	3.30	62.70	57.30	52
001-310-100-000	Real Estate Transfer Taxes	698,489.99	250,000.00	53,972.03	216,211.63	33,788.37	86
001-310-210-000	Earned Income Taxes	3,616,329.60	3,400,000.00	85,242.93	1,449,997.17	1,950,002.83	43
001-310-220-000	Earned Income Taxes- Prior Year	0.00	25.00	0.00	0.00	25.00	0
	<b>310 Total</b>	<b>4,314,932.89</b>	<b>3,650,145.00</b>	<b>139,218.26</b>	<b>1,666,271.50</b>	<b>1,983,873.50</b>	<b>45</b>
001-321-800-000	Franchise Fees	209,405.71	188,000.00	0.00	51,074.45	136,925.55	27
001-322-820-000	Road Opening Permits	901.00	300.00	53.00	212.00	88.00	71
001-322-900-000	Sign Permits	167.50	100.00	0.00	28.00	72.00	28
001-322-920-000	Solicitation Permits	532.00	500.00	28.00	588.00	88.00	118
	<b>322 Total</b>	<b>1,600.50</b>	<b>900.00</b>	<b>81.00</b>	<b>828.00</b>	<b>72.00</b>	<b>92</b>
001-331-120-000	Ordinance Violations	2,492.14	1,600.00	0.00	5,560.55	3,960.55	348
001-341-000-000	Interest Earnings	16,691.98	4,000.00	1,707.87	7,962.87	3,962.87	199
001-342-000-000	Rents & Royalties	22,627.62	21,167.37	3,443.02	13,451.57	7,715.80	64
001-342-120-000	Cell Tower Rental	145,186.51	165,900.00	9,267.54	85,470.12	80,429.88	52
	<b>342 Rents &amp; Royalties</b>	<b>167,814.13</b>	<b>187,067.37</b>	<b>12,710.56</b>	<b>98,921.69</b>	<b>88,145.68</b>	<b>52</b>
001-355-010-000	Public Utility Realty Tax	3,384.33	3,384.33	0.00	0.00	3,384.33	0
001-355-040-000	Alcohol License Fees	600.00	600.00	0.00	200.00	400.00	33

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<u>Revenue Account</u>	<u>Description</u>	<u>Prior Yr Rev</u>	<u>Anticipated</u>	<u>Curr Rev</u>	<u>YTD Rev</u>	<u>Excess/Deficit</u>	<u>% Real</u>
001-355-050-000	General Municipal Pension State Aid	45,040.40	45,040.40	0.00	0.00	45,040.40 -	0
001-355-070-000	Volunteer Fire Relief Association	102,451.40	102,451.40	0.00	0.00	102,451.40 -	0
	<b>355 Total</b>	<b>151,476.13</b>	<b>151,476.13</b>	<b>0.00</b>	<b>200.00</b>	<b>151,276.13 -</b>	<b>0</b>
001-361-300-000	Land Development Fees	750.00	3,000.00	0.00	0.00	3,000.00 -	0
001-361-330-000	Conditional Use Fees	1,000.00	900.00	0.00	0.00	900.00 -	0
001-361-340-000	Zoning Hearing Board Fees	15,300.00	16,150.00	875.00	11,950.00	4,200.00 -	74
001-361-500-000	Map And Publication Sales	0.00	5.00	0.00	66.25	61.25	***
	<b>361 Total</b>	<b>17,050.00</b>	<b>20,055.00</b>	<b>875.00</b>	<b>12,016.25</b>	<b>8,038.75 -</b>	<b>59</b>
001-362-410-000	Building Permit Fees	114,654.08	75,000.00	6,238.06	75,393.01	393.01	101
001-362-420-000	Zoning Permit Fees	22,797.00	19,500.00	1,968.00	16,741.00	2,759.00 -	86
001-362-450-000	Commercial U&O Fees	400.00	200.00	100.00	400.00	200.00	200
001-362-460-000	Driveway Permit Fees	1,147.00	500.00	56.00	728.00	228.00	146
	<b>362 Total</b>	<b>138,998.08</b>	<b>95,200.00</b>	<b>8,362.06</b>	<b>93,262.01</b>	<b>1,937.99 -</b>	<b>97</b>
001-367-408-000	Sports & Lesson Fees	1,903.00	3,000.00	75.00 -	1,290.00	1,710.00 -	43
001-367-420-000	Park Miscellaneous	13,019.75	13,400.00	2,743.75	17,210.00	3,810.00	128
	<b>367 Total</b>	<b>14,922.75</b>	<b>16,400.00</b>	<b>2,668.75</b>	<b>18,500.00</b>	<b>2,100.00</b>	<b>112</b>
001-381-000-000	Miscellaneous Income	80,926.26	1,000.00	15.00	15,706.33	14,706.33	***
001-381-001-000	Service Charge Fees	312.59	225.00	13.33	152.62	72.38 -	68
	<b>381 Miscellaneous Income</b>	<b>81,238.85</b>	<b>1,225.00</b>	<b>28.33</b>	<b>15,858.95</b>	<b>14,633.95</b>	<b>***</b>
001-383-200-000	Escrow Administration	1,320.00	880.00	0.00	550.00	330.00 -	62
001-395-000-000	Refund of Prior Year Expenditures	80.44	0.00	0.00	0.00	0.00	0
	<b>Fund 001 Revenue Totals</b>	<b>5,170,257.54</b>	<b>4,361,638.50</b>	<b>166,854.31</b>	<b>2,022,425.02</b>	<b>2,339,213.48 -</b>	<b>46</b>

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
001-400-000-000	<b>LEGISLATIVE BODY:</b>	0.00	0.00	0.00	0.00	0.00	0
001-400-110-000	Legislative- Payroll	7,500.00	7,500.00	630.00	4,410.00	3,090.00	59
001-400-150-000	Legislative- Benefits	27,854.18	55,210.98	3,008.19	18,554.94	36,656.04	34
001-400-312-000	Legislative- Consultant Services	36,687.50	22,750.00	5,000.00	32,600.00	9,850.00	143
001-400-337-000	Legislative- Mileage Reimbursement	0.00	400.00	0.00	353.76	46.24	88
001-400-420-000	Legislative- Dues & Subscriptions	5,776.00	4,625.00	103.00	523.00	4,102.00	11
001-400-460-000	Legislative- Meetings & Seminars	3,480.49	5,175.00	0.00	4,530.57	644.43	88
	<b>400 LEGISLATIVE BODY:</b>	<b>81,298.17</b>	<b>95,660.98</b>	<b>8,741.19</b>	<b>60,972.27</b>	<b>34,688.71</b>	<b>64</b>
001-401-000-000	<b>MANAGER:</b>	0.00	0.00	0.00	0.00	0.00	0
001-401-120-000	Management- Payroll	210,101.65	219,000.00	27,246.92	155,614.27	63,385.73	71
001-401-150-000	Management- Benefits	51,246.62	53,257.20	2,529.43	22,795.49	30,461.71	43
001-401-312-000	Management- Consultant Services	4,000.00	9,950.00	0.00	0.00	9,950.00	0
001-401-321-000	Management- Mobile Phone	1,348.58	1,380.00	107.87	753.11	626.89	55
001-401-337-000	Management- Mileage Reimbursement	5,362.42	5,160.00	1,471.83	5,443.49	283.49	105
001-401-460-000	Management- Meetings & Seminars	7,218.53	7,260.00	0.00	3,440.90	3,819.10	47
	<b>401 MANAGER:</b>	<b>279,277.80</b>	<b>296,007.20</b>	<b>31,356.05</b>	<b>188,047.26</b>	<b>107,959.94</b>	<b>64</b>
001-402-000-000	<b>FINANCIAL ADMINISTRATION:</b>	0.00	0.00	0.00	0.00	0.00	0
001-402-120-000	Finance- Payroll	84,892.77	89,250.00	6,865.38	49,769.02	39,480.98	56
001-402-150-000	Finance- Benefits	40,848.33	54,592.47	3,306.93	23,364.68	31,227.79	43
001-402-321-000	Finance- Mobile Phone	225.00	300.00	25.00	175.00	125.00	58
001-402-337-000	Finance- Mileage Reimbursement	234.63	250.00	44.09	114.57	135.43	46
001-402-460-000	Finance- Meeting & Seminars	115.00	1,300.00	0.00	493.85	806.15	38
	<b>402 FINANCIAL ADMINISTRATION:</b>	<b>126,315.73</b>	<b>145,692.47</b>	<b>10,241.40</b>	<b>73,917.12</b>	<b>71,775.35</b>	<b>51</b>
001-403-000-000	<b>TAX COLLECTION:</b>	0.00	0.00	0.00	0.00	0.00	0
001-403-110-000	Tax Collection- Payroll	2,780.70	2,234.50	0.00	109.38	2,125.12	5

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<u>Expenditure Account</u>	<u>Description</u>	<u>Prior Yr Expd</u>	<u>Budgeted</u>	<u>Current Expd</u>	<u>YTD Expended</u>	<u>Unexpended</u>	<u>% Expd</u>
001-403-150-000	Tax Collection- Benefits	212.72	122.26	0.00	8.37	113.89	7
001-403-210-000	Tax Collection- Office Supplies	5,544.29	6,050.00	0.00	4,661.31	1,388.69	77
001-403-310-000	Tax Collection- Professional Services	36,912.34	37,400.28	836.64	22,916.66	14,483.62	61
	<b>403 TAX COLLECTION:</b>	<b>45,450.05</b>	<b>45,807.04</b>	<b>836.64</b>	<b>27,695.72</b>	<b>18,111.32</b>	<b>60</b>
001-404-000-000	LEGAL SERVICES:	0.00	0.00	0.00	0.00	0.00	0
001-404-310-000	Legal- General Services	279,943.05	181,263.50	19,731.95	146,480.59	34,782.91	81
001-404-320-000	Legal- RTK Services	0.00	12,000.00	0.00	0.00	12,000.00	0
	<b>404 LEGAL SERVICES:</b>	<b>279,943.05</b>	<b>193,263.50</b>	<b>19,731.95</b>	<b>146,480.59</b>	<b>46,782.91</b>	<b>76</b>
001-405-000-000	CLERICAL:	0.00	0.00	0.00	0.00	0.00	0
001-405-140-000	Clerical- Payroll	77,504.45	105,260.40	7,310.00	52,748.70	52,511.70	50
001-405-150-000	Clerical- Benefits	23,223.42	36,605.43	1,344.25	9,326.68	27,278.75	25
001-405-210-000	Clerical- Office Supplies	4,835.19	6,700.00	225.87	2,198.94	4,501.06	33
001-405-310-000	Payroll Services	12,077.80	13,500.00	998.92	7,251.20	6,248.80	54
001-405-321-000	Clerical- Telephone	4,139.02	4,893.00	497.86	2,217.32	2,675.68	45
001-405-325-000	Clerical- Postage	4,034.48	5,619.00	319.99	1,619.95	3,999.05	29
001-405-337-000	Clerical- Mileage Reimbursement	0.00	240.00	0.00	0.00	240.00	0
001-405-340-000	Clerical- Advertisement	4,314.94	6,900.00	0.00	2,498.52	4,401.48	36
001-405-460-000	Clerical- Meetings & Seminars	0.00	2,540.00	0.00	512.94	2,027.06	20
001-405-465-000	Clerical- Computer Expense	63,336.73	95,426.00	4,096.00	46,000.08	49,425.92	48
001-405-470-000	Clerical- Other Expense	11,502.76	14,370.00	1,023.05	6,823.42	7,546.58	47
	<b>405 CLERICAL:</b>	<b>204,968.79</b>	<b>292,053.83</b>	<b>15,815.94</b>	<b>131,197.75</b>	<b>160,856.08</b>	<b>45</b>
001-408-000-000	ENGINEERING SERVICES:	0.00	0.00	0.00	0.00	0.00	0
001-408-310-000	Engineering Services	63,567.74	41,250.00	5,825.17	38,048.04	3,201.96	92
001-409-000-000	GOVERNMENT BUILDINGS & PLANT:	0.00	0.00	0.00	0.00	0.00	0
001-409-136-000	Administration- Utilities	9,373.72	11,964.00	827.89	4,811.71	7,152.29	40

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024

10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
001-409-137-000	Administration- Maintenance & Repairs	13,868.89	19,416.00	874.28	10,769.08	8,646.92	55
001-409-142-000	Administration- Alarm Service	3,276.68	4,632.00	1,250.79	3,264.49	1,367.51	70
001-409-147-000	Administration- Other Expenses	992.61	2,520.00	55.41	1,018.57	1,501.43	40
001-409-236-000	Garage- Utilities	13,666.75	15,540.00	520.98	7,767.25	7,772.75	50
001-409-237-000	Garage- Maintenance & Repairs	9,800.67	12,732.00	1,798.83	6,227.46	6,504.54	49
001-409-242-000	Garage- Alarm Service	1,742.45	2,892.00	385.59	1,392.04	1,499.96	48
001-409-247-000	Garage- Other Expenses	1,124.88	1,740.00	55.41	1,035.62	704.38	60
001-409-436-000	Community Hall- Utilities	6,971.62	6,396.00	433.23	3,045.00	3,351.00	48
001-409-437-000	Community Hall- Maintenance & Repairs	5,303.80	6,960.00	389.22	3,267.08	3,692.92	47
001-409-447-000	Community Hall- Other Expenses	122.24	660.00	0.00	0.00	660.00	0
001-409-536-000	Historical Bldg- Utilities	3,020.48	5,352.50	161.64	99.04	5,451.54	2
001-409-537-000	Historical Bldg- Maintenance & Repairs	777.41	1,848.00	0.00	1,150.86	697.14	62
001-409-636-000	Hollow Rd Rental- Utilities	0.00	250.00	0.00	0.00	250.00	0
001-409-637-000	Hollow Rd Rental- Maintenance & Repairs	245.00	4,248.00	0.00	249.00	3,999.00	6
001-409-737-000	Springhouse- Maintenance & Repairs	0.00	1,000.00	0.00	0.00	1,000.00	0
001-409-836-000	Dutchy Church- Utilities	117.37	600.00	80.72	287.07	312.93	48
	<b>409 GOVERNMENT BUILDINGS &amp; PLANT:</b>	<b>70,404.57</b>	<b>98,750.50</b>	<b>6,833.99</b>	<b>44,186.19</b>	<b>54,564.31</b>	<b>45</b>
001-411-000-000	FIRE:	0.00	0.00	0.00	0.00	0.00	0
001-411-380-000	Fire Protection- Hydrant Rentals	20,107.95	30,849.00	959.95	5,766.57	25,082.43	19
001-411-540-000	Fire Protection- WVFD Contributions	386,352.40	467,847.40	0.00	356,696.00	111,151.40	76
	<b>411 FIRE:</b>	<b>406,460.35</b>	<b>498,696.40</b>	<b>959.95</b>	<b>362,462.57</b>	<b>136,233.83</b>	<b>73</b>
001-413-000-000	UCC & CODE ENFORCEMENT:	0.00	0.00	0.00	0.00	0.00	0
001-413-110-000	Fire Marshal- Payroll	8,315.50	16,380.00	0.00	4,215.00	12,165.00	26
001-413-110-150	Fire Marshal- Benefits	5,061.48	5,694.71	0.00	2,532.72	3,161.99	44
001-413-150-000	Code Enforcement- Benefits	0.00	252.75	0.00	0.00	252.75	0
001-413-210-000	Code Enforcement- Supplies	1,195.00	7,805.00	0.00	1,220.00	6,585.00	16

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
001-413-312-000	Code Enforcement- Consultant Services	62,645.00	82,990.80	3,944.00	26,384.00	56,606.80	32
001-413-321-000	Code Enforcement- Mobile Phone	262.86	300.00	27.53	192.71	107.29	64
001-413-337-000	Code Enforcement- Mileage Reimbursement	0.00	840.00	0.00	0.00	840.00	0
001-413-460-000	Code Enforcement- Meetings & Seminars	0.00	400.00	0.00	0.00	400.00	0
	<b>413 UCC &amp; CODE ENFORCEMENT:</b>	<b>77,479.84</b>	<b>114,663.26</b>	<b>3,971.53</b>	<b>34,544.43</b>	<b>80,118.83</b>	<b>30</b>
001-414-000-000	PLANNING & ZONING:	0.00	0.00	0.00	0.00	0.00	0
001-414-140-000	Zoning- Payroll	2,400.00	4,400.00	150.00	1,150.00	3,250.00	26
001-414-150-000	Zoning- Benefits	183.75	337.04	11.49	88.06	248.98	26
001-414-310-000	Zoning- Professional Services	14,114.00	11,400.00	944.00	8,262.00	3,138.00	72
001-414-313-000	Zoning- Engineering	0.00	1,500.00	0.00	308.12	1,191.88	21
001-414-314-000	Zoning- Legal	34,326.12	36,100.00	4,720.00	21,080.00	15,020.00	58
001-414-315-000	Zoning- Conditional Use	0.00	8,700.00	0.00	1,634.00	7,066.00	19
001-414-341-000	Zoning- Advertisement	4,063.25	4,725.00	565.53	3,006.55	1,718.45	64
001-414-460-000	Zoning- Meetings & Seminars	0.00	200.00	0.00	0.00	200.00	0
	<b>414 PLANNING &amp; ZONING:</b>	<b>55,087.12</b>	<b>67,362.04</b>	<b>6,391.02</b>	<b>35,528.73</b>	<b>31,833.31</b>	<b>53</b>
001-419-000-000	OTHER PUBLIC SAFETY:	0.00	0.00	0.00	0.00	0.00	0
001-419-242-000	PA One Call	2,801.16	2,580.00	0.00	549.03	2,030.97	21
001-430-000-000	PUBLIC WORKS - ADMIN:	0.00	0.00	0.00	0.00	0.00	0
001-430-140-000	Public Works- Payroll	517,777.64	602,837.46	42,430.78	290,666.21	312,171.25	48
001-430-150-000	Public Works- Benefits	264,482.47	354,639.51	23,055.00	150,947.99	203,691.52	43
001-430-238-000	Public Works- Uniforms	7,930.61	9,200.00	606.09	4,252.02	4,947.98	46
001-430-326-000	Public Works- Mobile phones	596.30	672.00	42.22	295.54	376.46	44
001-430-460-000	Public Works- Meetings & Seminars	270.00	1,900.00	0.00	270.00	1,630.00	14
001-430-470-000	Public Works- Other Expenses	1,977.00	1,615.00	0.00	1,584.00	31.00	98
	<b>430 PUBLIC WORKS - ADMIN:</b>	<b>793,034.02</b>	<b>970,863.97</b>	<b>66,134.09</b>	<b>448,015.76</b>	<b>522,848.21</b>	<b>46</b>

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-432-000-000	WINTER MAINTENANCE- SNOW REMOVAL:	0.00	0.00	0.00	0.00	0.00	0
001-432-200-000	Snow Removal- Materials	9,194.96	40,625.00	0.00	21,526.89	19,098.11	53
001-432-450-000	Snow Removal- Contractor	0.00	1,500.00	0.00	0.00	1,500.00	0
	<b>432 WINTER MAINTENANCE- SNOW REMOVAL:</b>	<b>9,194.96</b>	<b>42,125.00</b>	<b>0.00</b>	<b>21,526.89</b>	<b>20,598.11</b>	<b>51</b>
001-433-000-000	TRAFFIC CONTROL DEVICES:	0.00	0.00	0.00	0.00	0.00	0
001-433-313-000	Traffic Signal- Engineering	4,051.02	5,000.00	519.79	8,921.72	3,921.72	178
001-433-361-000	Traffic Signal- Electricity	4,891.65	4,740.00	642.27	1,885.14	2,854.86	40
001-433-374-000	Traffic Signal- Maintenance	11,636.14	11,400.00	932.91	4,157.91	7,242.09	36
	<b>433 TRAFFIC CONTROL DEVICES:</b>	<b>20,578.81</b>	<b>21,140.00</b>	<b>2,094.97</b>	<b>14,964.77</b>	<b>6,175.23</b>	<b>71</b>
001-437-000-000	REPAIRS OF TOOLS AND MACHINERY:	0.00	0.00	0.00	0.00	0.00	0
001-437-250-000	Machinery & Tools- Vehicle Maintenance	67,357.31	82,200.00	1,005.95	48,283.45	33,916.55	59
001-437-260-000	Machinery & Tools- Small Tools	4,199.26	16,000.00	518.84	3,948.41	12,051.59	25
	<b>437 REPAIRS OF TOOLS AND MACHINERY:</b>	<b>71,556.57</b>	<b>98,200.00</b>	<b>1,524.79</b>	<b>52,231.86</b>	<b>45,968.14</b>	<b>53</b>
001-438-000-000	ROADS & BRIDGES:	0.00	0.00	0.00	0.00	0.00	0
001-438-231-000	Gasoline	5,800.34	5,500.00	681.55	4,026.32	1,473.68	73
001-438-232-000	Diesel Fuel	20,439.17	29,176.52	1,182.35	13,921.23	15,255.29	48
001-438-242-000	Road Signs	2,582.80	3,000.00	1,830.24	3,099.40	99.40	103
001-438-245-000	Road Supplies	31,303.89	56,500.00	226.00	14,924.31	41,575.69	26
001-438-313-000	Engineering	18,086.33	25,000.00	1,041.47	9,427.37	15,572.63	38
001-438-370-000	Road Program- Contractor	0.00	13,500.00	0.00	0.00	13,500.00	0
	<b>438 ROADS &amp; BRIDGES:</b>	<b>78,212.53</b>	<b>132,676.52</b>	<b>4,961.61</b>	<b>45,398.63</b>	<b>87,277.89</b>	<b>34</b>
001-446-000-000	STORM WATER MANAGEMENT:	0.00	0.00	0.00	0.00	0.00	0
001-446-313-000	Stormwater Management- Engineering	5,882.91	37,000.00	1,572.00	11,463.25	25,536.75	31
001-452-000-000	PARTICIPANT RECREATION:	0.00	0.00	0.00	0.00	0.00	0

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
001-452-248-000	Camps & Sport Leagues	1,800.00	2,800.00	420.00	840.00	1,960.00	30
001-452-250-000	Community Day	0.00	13,000.00	0.00	6,179.00	6,821.00	48
001-452-520-000	Library	8,444.00	8,866.00	0.00	0.00	8,866.00	0
	<b>452 PARTICIPANT RECREATION:</b>	<b>10,244.00</b>	<b>24,666.00</b>	<b>420.00</b>	<b>7,019.00</b>	<b>17,647.00</b>	<b>28</b>
001-454-000-000	PARKS:	0.00	0.00	0.00	0.00	0.00	0
001-454-436-000	Heebner Park- Utilities	7,412.13	3,456.00	149.80	2,447.41	1,008.59	71
001-454-437-001	Heebner Park- Athletic Fields	6,375.93	15,800.00	1,287.00	4,191.23	11,608.77	27
001-454-437-002	Heebner Park- Expenses	6,444.85	8,000.00	0.00	3,236.59	4,763.41	40
001-454-438-001	Mount Kirk Park- Athletic Fields	638.00	3,700.00	198.00	566.00	3,134.00	15
001-454-438-002	Mount Kirk Park- Expenses	2,354.20	1,550.00	0.00	662.68	887.32	43
001-454-438-003	Mount Kirk Park- Utilities	1,930.73	1,050.00	370.71	1,903.97	853.97	181
001-454-439-001	Sunny Brook Park- Athletic Fields	1,379.02	4,700.00	564.90	1,565.71	3,134.29	33
001-454-439-002	Sunny Brook Park- Expenses	1,519.56	3,602.00	398.31	1,281.45	2,320.55	36
001-454-446-000	Sunny Brook Park- Utilities	1,543.20	1,860.00	154.91	1,079.75	780.25	58
001-454-470-000	Heyser Park- Horse Ring	0.00	500.00	0.00	0.00	500.00	0
001-454-471-000	Heyser Park- Expenses	65.29	350.00	0.00	0.00	350.00	0
001-454-480-000	Trail Expenses	4,380.71	2,850.00	0.00	673.29	2,176.71	24
001-454-490-000	Other Parks	2,191.29	9,320.00	324.98	1,741.57	7,578.43	19
	<b>454 PARKS:</b>	<b>36,234.91</b>	<b>56,738.00</b>	<b>3,448.61</b>	<b>19,349.65</b>	<b>37,388.35</b>	<b>34</b>
001-459-000-000	PUBLIC RELATIONS:	0.00	0.00	0.00	0.00	0.00	0
001-459-340-000	Public Relations- Community Newsletter	22,423.67	22,900.00	1,016.02	6,696.43	16,203.57	29
001-459-341-000	Public Relations- Other Communications	2,248.14	1,600.00	0.00	0.00	1,600.00	0
	<b>459 PUBLIC RELATIONS:</b>	<b>24,671.81</b>	<b>24,500.00</b>	<b>1,016.02</b>	<b>6,696.43</b>	<b>17,803.57</b>	<b>27</b>
001-481-000-000	EMPLOYER PAID BENEFITS AND WITHHOLDII	0.00	0.00	0.00	0.00	0.00	0
001-481-430-000	Inter Gov- Real Estate Taxes	0.00	0.00	6,703.20	6,703.20	6,703.20	0

**TOWNSHIP OF WORCESTER**  
**Statement of Revenue and Expenditures**

08/15/2024

10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
001-486-000-000	INSURANCE:	0.00	0.00	0.00	0.00	0.00	0
001-486-350-000	Insurances	102,547.80	129,619.40	27,751.50	81,404.00	48,215.40	63
001-492-300-000	Transfer To Capital Fund	1,894,934.19	934,956.73	0.00	0.00	934,956.73	0
	<b>Fund 001 Expenditure Totals</b>	<b>4,740,146.88</b>	<b>4,364,272.84</b>	<b>226,331.62</b>	<b>1,858,403.14</b>	<b>2,505,869.70</b>	<b>43</b>

<b>001 Fund</b>	<b>Prior</b>	<b>Current</b>	<b>YTD</b>
Revenues:	5,170,257.54	166,854.31	2,022,425.02
Expenditures:	4,740,146.88	226,331.62	1,858,403.14
Net Income:	430,110.66	59,477.31 -	164,021.88

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024  
10:36 AM

<i>Revenue Account</i>	<i>Description</i>	<i>Prior Yr Rev</i>	<i>Anticipated</i>	<i>Curr Rev</i>	<i>YTD Rev</i>	<i>Excess/Deficit</i>	<i>% Real</i>
008-341-000-000	Interest Earnings	61,070.57	10,000.00	6,186.23	41,488.71	31,488.71	415
008-351-100-000	ARPA Funds	373,323.68	0.00	0.00	0.00	0.00	0
008-364-110-000	Tapping Fees	44,900.00	48,577.62	5,117.22	24,522.51	24,055.11 -	50
008-364-120-000	Sewer Fees- Residential	595,877.22	599,148.56	119,594.29	427,326.22	171,822.34 -	71
008-364-130-000	Sewer Fees- Commercial	164,923.22	145,000.00	12,408.88	89,463.06	55,536.94 -	62
008-364-140-000	Late Fees	9,775.43	7,500.00	991.26	5,994.41	1,505.59 -	80
008-364-150-000	Certification Fees	925.00	1,000.00	50.00	600.00	400.00 -	60
	<b>364 Total</b>	<b>816,400.87</b>	<b>801,226.18</b>	<b>138,161.65</b>	<b>547,906.20</b>	<b>253,319.98 -</b>	<b>68</b>
008-381-000-000	Miscellaneous Income	0.00	25.00	0.00	395,907.88	395,882.88	***
008-395-000-000	Refund of Prior Year Expenditures	61.89	0.00	0.00	0.00	0.00	0
	<b>Fund 008 Revenue Totals</b>	<b>1,250,857.01</b>	<b>811,251.18</b>	<b>144,347.88</b>	<b>985,302.79</b>	<b>174,051.61</b>	<b>121</b>

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
008-429-000-000	WASTEWATER COLLECTION AND TREATMENT	0.00	0.00	0.00	0.00	0.00	0
008-429-242-000	Alarm Services	551.88	1,232.00	601.55	601.55	630.45	49
008-429-300-000	Other Expenses	195,942.71	197,520.00	22,699.57	142,759.57	54,760.43	72
008-429-313-000	Engineering	3,034.75	12,500.00	0.00	4,931.00	7,569.00	39
008-429-314-000	Legal	7,525.53	10,000.00	50.00	2,883.88	7,116.12	29
008-429-316-000	Plant Operations	87,422.75	89,434.80	7,210.00	45,322.50	44,112.30	51
008-429-321-000	Telephone	983.60	1,080.00	127.63	645.12	434.88	60
008-429-361-000	Utilities	159,850.04	138,288.00	10,854.17	64,099.62	74,188.38	46
008-429-374-000	Equipment & Repairs	13,838.46	27,852.00	7,161.33	20,900.55	6,951.45	75
008-429-421-001	Center Point- Operations	5,910.00	6,388.20	492.50	2,955.00	3,433.20	46
008-429-421-002	Center Point- Utilities & Repairs	7,623.97	7,272.00	426.29	2,866.12	4,405.88	39
008-429-422-001	Meadowood- Operations	6,605.25	6,388.20	492.50	2,955.00	3,433.20	46
008-429-422-002	Meadowood- Utilities & Repairs	4,192.31	6,660.00	278.72	1,965.53	4,694.47	30
008-429-423-001	Heritage Village- Operations	5,910.00	6,388.20	492.50	2,955.00	3,433.20	46

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024

10:36 AM

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
008-429-423-002	Heritage Village- Utilities & Repairs	4,042.12	6,648.00	224.09	2,198.29	4,449.71	33
008-429-424-001	Fawn Creek- Operations	6,013.00	6,388.20	492.50	3,900.00	2,488.20	61
008-429-424-002	Fawn Creek- Utilities & Repairs	3,750.21	5,652.00	683.51	2,118.46	3,533.54	37
008-429-425-001	Chadwick Place- Operations	5,910.00	6,388.20	492.50	2,955.00	3,433.20	46
008-429-425-002	Chadwick Place- Utilities & Repairs	3,119.42	5,520.00	407.61	2,038.14	3,481.86	37
008-429-426-001	Adair Pump- Operations	5,910.00	6,388.20	492.50	2,955.00	3,433.20	46
008-429-426-002	Adair Pump- Utilities & Repairs	3,314.63	4,680.00	377.65	1,846.72	2,833.28	39
008-429-700-000	Capital Improvements	491,263.87	67,800.00	24,821.91	58,959.79	8,840.21	87
008-429-800-000	Depreciation	319,169.00	0.00	0.00	0.00	0.00	0
	<b>429 WASTWATER COLLECTION AND TREATN</b>	<b>1,341,883.50</b>	<b>620,468.00</b>	<b>78,879.03</b>	<b>372,811.84</b>	<b>247,656.16</b>	<b>60</b>
008-471-000-000	DEBT PRINCIPAL:	0.00	0.00	0.00	0.00	0.00	0
008-471-200-000	General Obligation Bond- Principal	0.00	130,000.00	0.00	0.00	130,000.00	0
008-472-000-000	DEBT INTEREST:	0.00	0.00	0.00	0.00	0.00	0
008-472-200-000	General Obligation Bond- Interest	38,376.26	41,431.26	0.00	18,278.13	23,153.13	44
008-475-000-000	Fiscal Agent Fees- 2016 Bond	1,050.00	1,100.00	1,050.00	1,050.00	50.00	95
008-486-000-000	INSURANCE:	0.00	0.00	0.00	0.00	0.00	0
008-486-350-000	Insurance Expense	5,001.20	6,689.50	0.00	6,689.50	0.00	100
	<b>Fund 008 Expenditure Totals</b>	<b>1,386,310.96</b>	<b>799,688.76</b>	<b>79,929.03</b>	<b>398,829.47</b>	<b>400,859.29</b>	<b>50</b>

<b>008 Fund</b>	<b>Prior</b>	<b>Current</b>	<b>YTD</b>
Revenues:	1,250,857.01	144,347.88	985,302.79
Expenditures:	1,386,310.96	79,929.03	398,829.47
Net Income:	135,453.95 -	64,418.85	586,473.32

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024

10:36 AM

<i>Revenue Account</i>	<i>Description</i>	<i>Prior Yr Rev</i>	<i>Anticipated</i>	<i>Curr Rev</i>	<i>YTD Rev</i>	<i>Excess/Deficit</i>	<i>% Real</i>
030-341-000-000	Interest Earnings	820,334.39	960,000.00	76,570.14	531,731.09	428,268.91 -	55
030-354-351-000	Grants	802,455.00	382,000.00	0.00	0.00	382,000.00 -	0
030-363-100-000	Traffic Impact Fees	7,954.00	14,204.00	0.00	40,267.17	26,063.17	283
030-381-000-000	Miscellaneous Income	49,120.00	2,000.00	0.00	2,000.00	0.00	100
030-392-010-000	Transfer From General Fund	1,894,934.19	934,956.73	0.00	0.00	934,956.73 -	0
030-395-000-000	Refund of Prior Year Expenditures	600.00	0.00	0.00	8,100.00	8,100.00	0
<b>Fund 030 Revenue Totals</b>		<b>3,575,397.58</b>	<b>2,293,160.73</b>	<b>76,570.14</b>	<b>582,098.26</b>	<b>1,711,062.47 -</b>	<b>25</b>
<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
030-405-000-000	SECRETARY/CLERK:	0.00	0.00	0.00	0.00	0.00	0
030-405-720-000	Office Equipment	3,229.05	32,000.00	0.00	2,179.50	29,820.50	7
030-409-000-000	GOVERNMENT BUILDINGS & PLANTS:	0.00	0.00	0.00	0.00	0.00	0
030-409-600-000	Building Improvements	29,410.42	38,300.00	505.66	2,142.55	36,157.45	6
030-430-600-000	Capital Roads	1,313,895.82	1,398,018.00	88,016.82	432,276.33	965,741.67	31
030-430-740-000	Equipment Purchases	111,997.24	514,710.62	0.00	115,771.00	398,939.62	22
<b>430 Total</b>		<b>1,425,893.06</b>	<b>1,912,728.62</b>	<b>88,016.82</b>	<b>548,047.33</b>	<b>1,364,681.29</b>	<b>29</b>
030-433-600-000	Traffic Signs & Signals	0.00	15,300.00	0.00	0.00	15,300.00	0
030-454-600-000	Parks and Trails	214,565.24	674,800.00	92,985.36	127,095.46	547,704.54	19
030-454-710-000	Land Acquisition	800,441.06	31,000.00	0.00	3,371.79	27,628.21	11
<b>454 Total</b>		<b>1,015,006.30</b>	<b>705,800.00</b>	<b>92,985.36</b>	<b>130,467.25</b>	<b>575,332.75</b>	<b>18</b>
030-471-201-000	Bond principal	27,000.00	0.00	0.00	0.00	0.00	0
030-472-200-000	Loan Interest	82,881.56	0.00	0.00	50,116.06	50,116.06 -	0
030-492-010-000	Transfer to General Fund	0.00	0.00	0.00	350,000.00	350,000.00 -	0
030-492-080-000	Transfer to Sewer Fund	25,357.71	0.00	0.00	0.00	0.00	0
<b>492 Total</b>		<b>25,357.71</b>	<b>0.00</b>	<b>0.00</b>	<b>350,000.00</b>	<b>350,000.00 -</b>	<b>0</b>

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
	<b>Fund 030 Expenditure Totals</b>	<b>2,608,778.10</b>	<b>2,704,128.62</b>	<b>181,507.84</b>	<b>1,082,952.69</b>	<b>1,621,175.93</b>	<b>40</b>

	<b>030 Fund</b>	<b>Prior</b>	<b>Current</b>	<b>YTD</b>
Revenues:	<b>3,575,397.58</b>	<b>76,570.14</b>	<b>582,098.26</b>	
Expenditures:	<b>2,608,778.10</b>	<b>181,507.84</b>	<b>1,082,952.69</b>	
Net Income:	<b>966,619.48</b>	<b>104,937.70 -</b>	<b>500,854.43 -</b>	

**TOWNSHIP OF WORCESTER**  
Statement of Revenue and Expenditures

08/15/2024

10:36 AM

<i>Revenue Account</i>	<i>Description</i>	<i>Prior Yr Rev</i>	<i>Anticipated</i>	<i>Curr Rev</i>	<i>YTD Rev</i>	<i>Excess/Deficit</i>	<i>% Real</i>
035-341-000-000	Interest Earnings	14,282.34	5,000.00	1,919.84	9,856.85	4,856.85	197
035-355-020-000	Liquid Fuel Funds	364,920.35	359,353.93	0.00	357,387.92	1,966.01 -	99
	<b>Fund 035 Revenue Totals</b>	<b>379,202.69</b>	<b>364,353.93</b>	<b>1,919.84</b>	<b>367,244.77</b>	<b>2,890.84</b>	<b>100</b>

<i>Expenditure Account</i>	<i>Description</i>	<i>Prior Yr Expd</i>	<i>Budgeted</i>	<i>Current Expd</i>	<i>YTD Expended</i>	<i>Unexpended</i>	<i>% Expd</i>
035-438-000-000	ROADS & BRIDGES:	0.00	0.00	0.00	0.00	0.00	0
035-438-370-000	Road Maintenance Contractor	347,000.00	350,000.00	0.00	0.00	350,000.00	0
	<b>Fund 035 Expenditure Totals</b>	<b>347,000.00</b>	<b>350,000.00</b>	<b>0.00</b>	<b>0.00</b>	<b>350,000.00</b>	<b>0</b>

	<b>035 Fund</b>	<b>Prior</b>	<b>Current</b>	<b>YTD</b>
Revenues:	379,202.69	1,919.84	367,244.77	
Expenditures:	347,000.00	0.00	0.00	
Net Income:	<b>32,202.69</b>	<b>1,919.84</b>	<b>367,244.77</b>	

**TOWNSHIP OF WORCESTER**  
**Statement of Revenue and Expenditures**

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
040-341-200-000	Interest Earnings Developers	1,237.32	0.00	116.08	790.73	790.73	0
	<b>Fund 040 Revenue Totals</b>	<b>1,237.32</b>	<b>0.00</b>	<b>116.08</b>	<b>790.73</b>	<b>790.73</b>	<b>0</b>

040 Fund	Prior	Current	YTD
Revenues:	1,237.32	116.08	790.73
Expenditures:	0.00	0.00	0.00
Net Income:	1,237.32	116.08	790.73

Grand Totals	Prior	Current	YTD
Revenues:	10,376,952.14	389,808.25	3,957,861.57
Expenditures:	9,082,235.94	487,768.49	3,340,185.30
Net Income:	1,294,716.20	97,960.24 -	617,676.27

# Worcester Volunteer Fire Department


Worcester, PA

This report was generated on 7/7/2024 5:41:31 PM



## Incidents by Shift for Date Range

Start Date: 06/01/2024 | End Date: 06/30/2024



Fire Call Average Attendance: 19.3

Call Man Hours: 287.55

FP Call Average Attendance: 8

Drill Man Hours: 277:00

Drill Average Attendance: 40.3

Events: 4

Daytime Calls Twp Employees Assisted On: 7

Total Elapsed Time on Calls: 16:25:51

Incidents with multiple EXPOSURES, with distinct stations, may create a slight difference between the report total and total number of actual incidents for the DATE RANGE provided. The totals reflect the # INCIDENTS each STATION was assigned. Only REVIEWED incidents included.

# Worcester Volunteer Fire Department

Worcester, PA


This report was generated on 7/7/2024 5:49:15 PM



## Count of Incidents by Incident Type per Zone

Incident Status: Reviewed | Start Date: 06/01/2024 | End Date: 06/30/2024

% of Incidents per Zone



- 14 - LANSDALE
- 27 - NORRISTOWN
- 46 - WEST NORRITON
- 61 - EAST NORRITON
- 80 - UPPER GWYNEDD
- 83 - WORCESTER

INCIDENT TYPE	# INCIDENTS	% of TOTAL
<b>14 - LANSDALE</b>		
111 - Building fire	1	4.55%
Zone: 14 - LANSDALE Total Incident:	1	4.55%
<b>27 - NORRISTOWN</b>		
111 - Building fire	1	4.55%
Zone: 27 - NORRISTOWN Total Incident:	1	4.55%
<b>46 - WEST NORRITON</b>		
111 - Building fire	1	4.55%
Zone: 46 - WEST NORRITON Total Incident:	1	4.55%
<b>61 - EAST NORRITON</b>		
611 - Dispatched & cancelled en route	1	4.55%
Zone: 61 - EAST NORRITON Total Incident:	1	4.55%
<b>80 - UPPER GWYNEDD</b>		
551 - Assist police or other governmental agency	1	4.55%
Zone: 80 - UPPER GWYNEDD Total Incident:	1	4.55%
<b>83 - WORCESTER</b>		
111 - Building fire	1	4.55%
131 - Passenger vehicle fire	1	4.55%
141 - Forest, woods or wildland fire	1	4.55%
311 - Medical assist, assist EMS crew	4	18.18%
322 - Motor vehicle accident with injuries	4	18.18%
424 - Carbon monoxide incident	1	4.55%
622 - No incident found on arrival at dispatch address	1	4.55%
745 - Alarm system activation, no fire - unintentional	4	18.18%
Zone: 83 - WORCESTER Total Incident:	17	77.27%
<b>TOTAL INCIDENTS FOR ALL ZONES:</b>	<b>22</b>	<b>100%</b>

Report shows count of incidents for Status selected.



emergencyreporting.com  
Doc Id: 1390  
Page # 1 of 1

# Worcester Volunteer Fire Department

Worcester, PA

This report was generated on 7/7/2024 5:33:55 PM



## Basic Incident Info with Number of Responding Apparatus and Personnel for Date Range

Start Date: 06/01/2024 | End Date: 06/30/2024

DATE	INCIDENT #	ADDRESS	INCIDENT TYPE	SHIFT	ZONE	# APP.	# PERS.
06/01/2024	2024-124	BRINDLE CT	322 - Motor vehicle accident with injuries	Fire	83 - WORCESTER	5	26
06/01/2024	2024-125	MORRIS RD	322 - Motor vehicle accident with injuries	Fire	83 - WORCESTER	4	18
06/07/2024	2024-126	3011 HEEBNER RD	311 - Medical assist, assist EMS crew	Fire	83 - WORCESTER	2	13
06/08/2024	2024-127	3223 GERMANTOWN PIKE	111 - Building fire	Fire	83 - WORCESTER	6	15
06/09/2024	2024-128	2277 WARNER RD	745 - Alarm system activation, no fire - unintentional	Fire	83 - WORCESTER	3	23
06/10/2024	2024-129	3421 SKIPACK PIKE	424 - Carbon monoxide incident	Fire	83 - WORCESTER	6	27
06/12/2024	2024-130	19 E GERMANTOWN PIKE	611 - Dispatched & cancelled en route	Fire	61 - EAST NORRITON	1	17
06/12/2024	2024-131	1090 KRIEBEL MILL RD	311 - Medical assist, assist EMS crew	Fire	83 - WORCESTER	2	21
06/13/2024	2024-132	3119 MILL RD	141 - Forest, woods or wildland fire	Fire	83 - WORCESTER	3	28
06/13/2024	2024-133	1435 HOLLOW RD	745 - Alarm system activation, no fire - unintentional	Fire	83 - WORCESTER	2	28
06/14/2024	2024-134	524 WINDING RD	111 - Building fire	Fire	14 - LANSDALE	1	15
06/14/2024	2024-135	MORRIS RD	551 - Assist police or other governmental agency	Fire Police	80 - UPPER GWYNEDD	2	8
06/19/2024	2024-136	2107 BUSTARD RD	745 - Alarm system activation, no fire - unintentional	Fire	83 - WORCESTER	2	22
06/20/2024	2024-137	POTSHOP RD	322 - Motor vehicle accident with injuries	Fire	83 - WORCESTER	4	18
06/20/2024	2024-138	2130 WENTZ CHURCH RD	745 - Alarm system activation, no fire - unintentional	Fire	83 - WORCESTER	1	18
06/21/2024	2024-139	VALLEY FORGE RD	622 - No incident found on arrival at dispatch address	Fire	83 - WORCESTER	3	15
06/24/2024	2024-140	612 CAROLINE DR	111 - Building fire	Fire	27 - NORRISTOWN	1	6
06/25/2024	2024-141	210 CASPIAN LN	311 - Medical assist, assist EMS crew	Fire	83 - WORCESTER	2	19
06/25/2024	2024-142	STUMP HALL RD	131 - Passenger vehicle fire	Fire	83 - WORCESTER	4	21
06/25/2024	2024-143	2222 VALLEY FORGE RD	322 - Motor vehicle accident with injuries	Fire	83 - WORCESTER	2	19
06/28/2024	2024-144	220 CENTRE AVE	111 - Building fire	Fire	46 - WEST NORRITON	1	21
06/29/2024	2024-145	70 UMBRELL DR	311 - Medical assist, assist EMS crew	Fire	83 - WORCESTER	2	15

TOTAL # INCIDENTS: 22

Only REVIEWED incidents included.

# Worcester Volunteer Fire Department


Worcester, PA

This report was generated on 8/4/2024 9:11:41 PM



## Incidents by Shift for Date Range

Start Date: 07/01/2024 | End Date: 07/31/2024



SHIFT	# INCIDENTS
Fire	24
Fire Police	2
Officers Investigation	1
<b>TOTAL:</b>	<b>27</b>

Fire Call Average Attendance: 18.2

Call Man Hours: 209.2

FP Call Average Attendance: 6

Drill Man Hours: 166

Drill Average Attendance: 41.5

Events: 3

Daytime Calls Twp Employees Assisted On: 5

Total Elapsed Time on Calls: 13:43:47

# Worcester Volunteer Fire Department



Worcester, PA

This report was generated on 8/4/2024 11:07:23 PM

## Count of Incidents by Incident Type per Zone

Incident Status: Reviewed | Start Date: 07/01/2024 | End Date: 07/31/2024

% of Incidents per Zone



- 07 - WISSAHICKON
- 53 - LOWER PROVIDENCE
- 61 - EAST NORRITON
- 76 - TOWAMENCIN
- 80 - UPPER GWYNEDD
- 83 - WORCESTER

INCIDENT TYPE	# INCIDENTS	% of TOTAL
<b>07 - WISSAHICKON</b>		
111 - Building fire	1	3.70%
Zone: 07 - WISSAHICKON Total Incident:	1	3.70%
<b>53 - LOWER PROVIDENCE</b>		
651 - Smoke scare, odor of smoke	1	3.70%
Zone: 53 - LOWER PROVIDENCE Total Incident:	1	3.70%
<b>61 - EAST NORRITON</b>		
611 - Dispatched & cancelled en route	1	3.70%
Zone: 61 - EAST NORRITON Total Incident:	1	3.70%
<b>76 - TOWAMENCIN</b>		
611 - Dispatched & cancelled en route	1	3.70%
Zone: 76 - TOWAMENCIN Total Incident:	1	3.70%
<b>80 - UPPER GWYNEDD</b>		
111 - Building fire	1	3.70%
Zone: 80 - UPPER GWYNEDD Total Incident:	1	3.70%
<b>83 - WORCESTER</b>		
131 - Passenger vehicle fire	1	3.70%
142 - Brush or brush-and-grass mixture fire	1	3.70%
162 - Outside equipment fire	1	3.70%
311 - Medical assist, assist EMS crew	3	11.11%
322 - Motor vehicle accident with injuries	3	11.11%
440 - Electrical wiring/equipment problem, other	1	3.70%
551 - Assist police or other governmental agency	2	7.41%
745 - Alarm system activation, no fire - unintentional	9	33.33%
746 - Carbon monoxide detector activation, no CO	1	3.70%
Zone: 83 - WORCESTER Total Incident:	22	81.48%
<b>TOTAL INCIDENTS FOR ALL ZONES:</b>	<b>27</b>	<b>100%</b>

Report shows count of incidents for Status selected.



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Number of Records Returned: 203

**Search Criteria:** which\_cad='P' and occ\_date between '2024-07-01' and '2024-07-31' and municipality='46226' and jurisdiction='PA'

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-856872	2024-856872	Jul-01-2024	13:06:50	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2133 BERKS RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-860912	2024-860912	Jul-02-2024	12:12:59	MVCHR (MVC - HIT AND RUN, NO INJURIES)	MVC600(MVC - DELAYED REPORTING CC)	N WALES RD / MORRIS RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-861455	2024-861455	Jul-02-2024	14:45:43	MVCNR (MVC - NON-REPORTABLE)	MVCRNI(MVC - REPORTABLE, NO INJURIES)	VALLEY FORGE RD / WOODLYN AVE, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-862162	2024-862162	Jul-02-2024	17:43:34	MVCNR (MVC - NON-REPORTABLE)	CANCEL(CANCELLED BY COMPLAINANT X)	W GERMANTOWN PIKE / VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-862185	2024-862185	Jul-02-2024	17:47:35	SEEOF(SEE OFFICER GO)	SEEOF(SEE OFFICER GO)	2543 CRESTLINE DR, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-862664	2024-862664	Jul-02-2024	20:37:26	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	CANCEL(CANCELLED BY COMPLAINANT X)	LIBERTY LN / VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-863057	2024-863057	Jul-02-2024	23:45:25	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	2200 BLOCK S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-863849	2024-863849	Jul-03-2024	06:54:11	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	2000 BLOCK S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-864052	2024-864052	Jul-03-2024	07:16:35	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-864664	2024-864664	Jul-03-2024	08:26:49	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	1900 BLOCK VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-864940	2024-864940	Jul-03-2024	08:54:00	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	265 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-865109	2024-865109	Jul-03-2024	09:09:58	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	2000 BLK MILL RD[MILL RD, WORCESTER TWP (MONTGOMERY)]	Yes	TRAFFIC CITATION
PA 2024-865128	2024-865128	Jul-03-2024	09:11:35	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	253 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-865237	2024-865237	Jul-03-2024	09:22:43	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	273 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-865524	2024-865524	Jul-03-2024	09:54:07	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3000 BLOCK W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-867605	2024-867605	Jul-03-2024	13:10:24	RAPDGO(REQUEST ASSIST - LOCAL PD GO)	REFER (REFER TO OTHER AGENCY - PD R)	1524 N TROOPER RD, WORCESTER TWP (MONTGOMERY)	Yes	REFER
PA 2024-867726	2024-867726	Jul-03-2024	13:34:47	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	258 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-868602	2024-868602	Jul-03-2024	15:12:06	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3300 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-868722	2024-868722	Jul-03-2024	15:25:15	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3300 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-869011	2024-869011	Jul-03-2024	15:53:30	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3300 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-869360	2024-869360	Jul-03-2024	16:25:22	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3300 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-869460	2024-869460	Jul-03-2024	16:32:26	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	1200 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-869549	2024-869549	Jul-03-2024	16:41:40	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	265 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-869590	2024-869590	Jul-03-2024	16:45:37	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	2800 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-869767	2024-869767	Jul-03-2024	17:00:39	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	1700 BLOCK VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-869890	2024-869890	Jul-03-2024	17:10:28	DSCHK (DOMESTIC SECURITY CHECK CC)	DSCHK (DOMESTIC SECURITY CHECK CC)	VALLEY FORGE RD / HICKORY HILL RD [HEEBNER PARK, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-869949	2024-869949	Jul-03-2024	17:16:49	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3000 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-870024	2024-870024	Jul-03-2024	17:23:48	DSCHHW(DOMESTIC SECURITY CHECK - HOUSE OF WORSHIP CC)	DSCHHW(DOMESTIC SECURITY CHECK - HOUSE OF WORSHIP CC)	SKIPPACK PIKE / WENTZ CHURCH RD [WENTZ CHURCH, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-870912	2024-870912	Jul-03-2024	19:15:46	DISM (DISABLED MOTORIST CC)	DISM (DISABLED MOTORIST CC)	VALLEY FORGE RD / MOHILL DR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-871891	2024-871891	Jul-03-2024	21:55:53	PATCHK(PATROL CHECK CC)	PATCHK(PATROL CHECK CC)	2662 HAWTHORN DR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-873560	2024-873560	Jul-04-2024	08:24:17	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-875275	2024-875275	Jul-04-2024	12:21:05	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3100 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-875859	2024-875859	Jul-04-2024	13:42:25	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	271 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-876188	2024-876188	Jul-04-2024	14:32:58	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	274 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-877745	2024-877745	Jul-04-2024	18:02:01	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	269 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-878345	2024-878345	Jul-04-2024	19:43:02	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	270 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-879234	2024-879234	Jul-04-2024	22:43:05	DOM (DOMESTIC - INACTIVE)	DOMO (DOMESTIC - OTHER GO)	2533 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-884168	2024-884168	Jul-05-2024	15:27:09	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	600 BLK MORRIS RD[MORRIS RD, WORCESTER TWP (MONTGOMERY)]	Yes	TRAFFIC CITATION
PA 2024-885585	2024-885585	Jul-05-2024	18:04:57	SEEOF(CSEE OFFICER GO)	PATCHK(PATROL CHECK CC)	2925 HICKORY HILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-889096	2024-889096	Jul-06-2024	07:39:35	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	265 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-889105	2024-889105	Jul-06-2024	07:40:43	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	2543 CRESTLINE DR, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-895186	2024-895186	Jul-06-2024	22:50:57	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3000 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-896129	2024-896129	Jul-07-2024	04:35:06	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2005 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-896285	2024-896285	Jul-07-2024	06:30:05	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	1715 LANDIS RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-898172	2024-898172	Jul-07-2024	12:42:05	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-898222	2024-898222	Jul-07-2024	12:49:17	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-900143	2024-900143	Jul-07-2024	17:47:20	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	268 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-901085	2024-901085	Jul-07-2024	20:50:26	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-901218	2024-901218	Jul-07-2024	21:18:25	PATCHK(PATROL CHECK CC)	PATCHK(PATROL CHECK CC)	KRIEBEL MILL RD / GERMANTOWN PIKE [METHACTON HS, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-902220	2024-902220	Jul-08-2024	07:29:42	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	320 SILO MILL LN, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-903667	2024-903667	Jul-08-2024	14:02:58	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	270 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-903740	2024-903740	Jul-08-2024	14:26:17	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	SKIPPACK PIKE / CASSEL RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-904672	2024-904672	Jul-08-2024	18:07:45	DIST (DISTURBANCE/NOISE COMPLAINT GO)	PATCHK(PATROL CHECK CC)	QUARRY HALL RD / MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-908145	2024-908145	Jul-09-2024	15:21:38	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	273 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-908795	2024-908795	Jul-09-2024	18:25:40	THEFTF(THEFT - FRAUD/FORGERY)	THEFTF(THEFT - FRAUD/FORGERY)	131 BRINDE CT, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-909053	2024-909053	Jul-09-2024	20:06:07	TROTH (TRAFFIC VIOLATION - OTHER CC)	TROTH (TRAFFIC VIOLATION - OTHER CC)	1252 QUARRY HALL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-910136	2024-910136	Jul-10-2024	07:03:19	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	257 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-910176	2024-910176	Jul-10-2024	07:16:52	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	257 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-910193	2024-910193	Jul-10-2024	07:21:12	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	262 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-910283	2024-910283	Jul-10-2024	07:40:09	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	951 N PARK AVE, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-910604	2024-910604	Jul-10-2024	08:55:56	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	256 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-911780	2024-911780	Jul-10-2024	14:01:14	SEEOF(SEE OFFICER GO)	DOMO (DOMESTIC - OTHER GO)	3100 W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-911806	2024-911806	Jul-10-2024	14:08:35	FOUND (FOUND ITEM GO)	CANCEL(CANCELLED BY COMPLAINANT X)	GRIFFITH RD / WANDA LN, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-912694	2024-912694	Jul-10-2024	17:44:48	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	W GERMANTOWN PIKE / CHURCH RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-913408	2024-913408	Jul-10-2024	21:43:52	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	1103 WANDA LN, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-915026	2024-915026	Jul-11-2024	10:25:33	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	1004 CHERRY CIR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-915098	2024-915098	Jul-11-2024	10:46:15	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	3001 GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-916446	2024-916446	Jul-11-2024	16:59:02	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	SKIPACK PIKE / BETHEL RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-916863	2024-916863	Jul-11-2024	19:14:52	MVCRNI(MVC - REPORTABLE, NO INJURIES)	MVCRNI(MVC - REPORTABLE, NO INJURIES)	274 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-917621	2024-917621	Jul-12-2024	00:38:12	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3000 BLOCK FISHER RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-918461	2024-918461	Jul-12-2024	08:12:36	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	1501 POTSHOP RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-920547	2024-920547	Jul-12-2024	18:02:42	SEEOF(SEE OFFICER GO)	SEEOF(SEE OFFICER GO)	3414 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-921642	2024-921642	Jul-13-2024	00:54:17	DOMA (DOMESTIC - IN PROGRESS)	DOMO (DOMESTIC - OTHER GO)	1725 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-922643	2024-922643	Jul-13-2024	10:13:10	SEEOF(SEE OFFICER GO)	SEEOF(SEE OFFICER GO)	1534 N TROOPER RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-923943	2024-923943	Jul-13-2024	17:14:23	ALARMB(ALARM - BURGLAR)	ALRMNF(ALARM FALSE NO FAULT CC)	2750 MORRIS RD [VALMET INC, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-923956	2024-923956	Jul-13-2024	17:20:01	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-925010	2024-925010	Jul-14-2024	00:06:58	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2564 PREBLE CIR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-927042	2024-927042	Jul-14-2024	15:37:28	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	STUMP HALL RD / VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-927170	2024-927170	Jul-14-2024	16:15:42	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	3112 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-927332	2024-927332	Jul-14-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	PATCHK(PATROL CHECK CC)	3414 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-927581	2024-927581	Jul-14-2024	18:52:09	PATCHK(PATROL CHECK CC)	PATCHK(PATROL CHECK CC)	SKIPPACK PIKE / WENTZ CHURCH RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-929275	2024-929275	Jul-15-2024	08:37:01	MVCNI(MVC - REPORTABLE, NO INJURIES)	DISM (DISABLED MOTORIST CC)	1436 HOLLOW RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-930378	2024-930378	Jul-15-2024	13:11:33	MVCUNK(MVC - UNKNOWN INJURIES)	MVCI (MVC - INJURIES)	N WHITEHALL RD / BEAN RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-930828	2024-930828	Jul-15-2024	15:03:40	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	257 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-931354	2024-931354	Jul-15-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-931804	2024-931804	Jul-15-2024	19:26:40	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	273 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-932228	2024-932228	Jul-15-2024	21:48:19	PATCHK(PATROL CHECK CC)	PATCHK(PATROL CHECK CC)	1310 KRIEBEL MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-932658	2024-932658	Jul-16-2024	01:07:59	SUAT (SUICIDE - ATTEMPT OR THREAT)	TRADAP(TRAF VIOL-DUI DRUG & ALCOHOL W/DRUG POSS)	GREEN HILL RD / SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-933638	2024-933638	Jul-16-2024	08:31:49	MVCHR (MVC - HIT AND RUN, NO INJURIES)	MVCNR (MVC - NON-REPORTABLE)	TOWNSHIP LINE RD / POTSHOP RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-933789	2024-933789	Jul-16-2024	09:05:47	MVCUNK(MVC - UNKNOWN INJURIES)	CANCEL(CANCELLED BY COMPLAINANT X)	HOLLOW RD / SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-934265	2024-934265	Jul-16-2024	10:42:26	THEFTF(THEFT - FRAUD/FORGERY)	REFER (REFER TO OTHER AGENCY - PD R)	3126 METHACTON AVE, WORCESTER TWP (MONTGOMERY)	Yes	REFER
PA 2024-934584	2024-934584	Jul-16-2024	11:53:44	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	274 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-934905	2024-934905	Jul-16-2024	12:59:17	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	1364 SPRING HILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-935898	2024-935898	Jul-16-2024	16:34:22	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	1581 N TROOPER RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-936105	2024-936105	Jul-16-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-936418	2024-936418	Jul-16-2024	18:41:30	MVCRNI(MVC - REPORTABLE, NO INJURIES)	MVCRNI(MVC - REPORTABLE, NO INJURIES)	272 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-936773	2024-936773	Jul-16-2024	20:28:53	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	REFER (REFER TO OTHER AGENCY - PD R)	N PARK AVE / W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	REFER
PA 2024-936841	2024-936841	Jul-16-2024	20:41:54	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	N WHITEHALL RD / TOWNSHIP LINE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-937196	2024-937196	Jul-16-2024	22:17:14	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	N WHITEHALL RD / BEAN RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-938686	2024-938686	Jul-17-2024	09:53:15	DSCHSC(DOMESTIC SECURITY CHECK - SCHOOL CC)	DSCHSC(DOMESTIC SECURITY CHECK - SCHOOL CC)	3017 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-938805	2024-938805	Jul-17-2024	10:13:49	CMR (CRIMINAL MISCHIEF)	SEE OFC(SEE OFFICER GO)	106 MUSTANG WAY, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-938855	2024-938855	Jul-17-2024	10:25:26	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	271 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-939580	2024-939580	Jul-17-2024	13:22:45	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	273 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-940551	2024-940551	Jul-17-2024	17:20:01	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-940665	2024-940665	Jul-17-2024	17:51:25	MVCRNI(MVC - REPORTABLE, NO INJURIES)	MVCNR (MVC - NON-REPORTABLE)	SKIPACK PIKE / S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-940902	2024-940902	Jul-17-2024	18:58:00	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	2100 BLOCK SCHULTZ RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-941000	2024-941000	Jul-17-2024	19:32:24	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3232 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-941027	2024-941027	Jul-17-2024	19:40:00	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3200 BLOCK SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-941144	2024-941144	Jul-17-2024	20:17:17	WELCK (WELFARE CHECK GO)	PATCHK(PATROL CHECK CC)	13 TAMARACK CIR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-941226	2024-941226	Jul-17-2024	20:49:23	MVCUNK(MVC - UNKNOWN INJURIES)	MVCRNI(MVC - REPORTABLE, NO INJURIES)	3221 MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-941429	2024-941429	Jul-17-2024	22:16:20	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	257 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-942447	2024-942447	Jul-18-2024	08:03:17	MOTSBI(MOTOR CARRIER SAFETY - ANNUAL SCHOOL BUS INSP CC)	MOTSBI(MOTOR CARRIER SAFETY - ANNUAL SCHOOL BUS INSP CC)	SKIPACK PIKE / MEADOWOOD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-942449	2024-942449	Jul-18-2024	08:04:03	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTSBI(MOTOR CARRIER SAFETY - ANNUAL SCHOOL BUS INSP CC)	SKIPACK PIKE / S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-942451	2024-942451	Jul-18-2024	08:04:48	MOTSBI(MOTOR CARRIER SAFETY - ANNUAL SCHOOL BUS INSP CC)	MOTSBI(MOTOR CARRIER SAFETY - ANNUAL SCHOOL BUS INSP CC)	SKIPACK PIKE / LANDIS RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-943471	2024-943471	Jul-18-2024	12:58:33	MVCIE (MVC - INJURIES AND ENTRAPMENT)	MVCI (MVC - INJURIES)	3008 W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-943646	2024-943646	Jul-18-2024	13:53:00	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	N PARK AVE / W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-943829	2024-943829	Jul-18-2024	14:50:19	CY104 (CHILDLINE)	SEE OFC(SEE OFFICER GO)	3318 GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-944252	2024-944252	Jul-18-2024	16:28:10	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-944451	2024-944451	Jul-18-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-944733	2024-944733	Jul-18-2024	18:46:39	WELCK (WELFARE CHECK GO)	CANCEL(CANCELLED BY COMPLAINANT X)	118 BRINDLE CT, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-945185	2024-945185	Jul-18-2024	21:28:45	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	DRUGO (DRUG - OVERDOSE)	2816 MORRIS RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-945282	2024-945282	Jul-18-2024	22:11:16	PUR (VEHICLE/FOOT PURSUIT)	TRFLEE(TRAF VIOL FLEE/ELUDE)	269 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-945801	2024-945801	Jul-19-2024	05:25:52	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2005 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-946891	2024-946891	Jul-19-2024	11:38:41	DSCHK (DOMESTIC SECURITY CHECK CC)	DSCHK (DOMESTIC SECURITY CHECK CC)	VALLEY FORGE RD / HICKORY HILL RD [HEEBNER PARK, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-947422	2024-947422	Jul-19-2024	14:00:21	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	2606 WINDSTORM WAY, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-948111	2024-948111	Jul-19-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	HOUSCK(HOUSE CHECK CC)	3414 SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-948454	2024-948454	Jul-19-2024	19:13:56	PFAP (PFA VIOLATION, IN PROGRESS)	SEE OFC(SEE OFFICER GO)	1070 KRIESEL MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-948828	2024-948828	Jul-19-2024	21:37:52	PATCHK(PATROL CHECK CC)	PATCHK(PATROL CHECK CC)	1133 KRIESEL MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-948903	2024-948903	Jul-19-2024	22:03:22	DOMA (DOMESTIC - IN PROGRESS)	ASALAG(ASSAULT - AGGRAVATED)	2874 CREST TER, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-949007	2024-949007	Jul-19-2024	22:48:55	TS (TRAFFIC STOP CC)	TRADUI(TRAF VIOL-DUI ALCOHOL)	2600 BLOCK SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-949733	2024-949733	Jul-20-2024	05:13:07	ALARMB(ALARM - BURGLAR)	ALRMNF(ALARM FALSE NO FAULT CC)	3223 W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-950357	2024-950357	Jul-20-2024	10:07:46	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	271 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-950513	2024-950513	Jul-20-2024	11:05:05	DSCHSC(DOMESTIC SECURITY CHECK - SCHOOL CC)	DSCHSC(DOMESTIC SECURITY CHECK - SCHOOL CC)	KRIESEL MILL RD / GERMANTOWN PIKE [METHACTON HS, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-950754	2024-950754	Jul-20-2024	12:23:57	SEEOF(CSEE OFFICER GO)	FMIARS(FIRE - ARSON)	1005 KRIEBEL MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-950759	2024-950759	Jul-20-2024	12:33:43	DISM (DISABLED MOTORIST CC)	DISM (DISABLED MOTORIST CC)	268 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-951629	2024-951629	Jul-20-2024	17:20:02	HOUSCK(HOUSE CHECK CC)	CANCEL(CANCELLED BY COMPLAINANT X)	3414 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-952146	2024-952146	Jul-20-2024	20:09:35	TRERDR(TRAFFIC VIOLATION/ERRATIC DRIVER CC)	TRADUI(TRAF VIOL-DUI ALCOHOL)	N TROOPER RD / W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-953698	2024-953698	Jul-21-2024	09:14:11	PATCHK(PATROL CHECK CC)	ABNVEH(ABANDONED VEHICLE GO)	SKIPPACK PIKE / BETHEL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-954024	2024-954024	Jul-21-2024	11:21:46	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	1400 BLOCK VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-954786	2024-954786	Jul-21-2024	15:30:04	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	255 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-955885	2024-955885	Jul-21-2024	22:39:44	WECK (WELFARE CHECK GO)	WECK (WELFARE CHECK GO)	326 SILO MILL LN, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-955963	2024-955963	Jul-21-2024	23:16:49	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2110 DEEP MEADOW LN, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-956475	2024-956475	Jul-22-2024	06:15:17	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	267 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-956566	2024-956566	Jul-22-2024	06:49:48	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	APPLEWOOD DR / BERKS RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-957369	2024-957369	Jul-22-2024	09:54:19	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	W GERMANTOWN PIKE / VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-957557	2024-957557	Jul-22-2024	10:43:38	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	2100 BLOCK S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-957697	2024-957697	Jul-22-2024	11:12:59	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	SKIPPACK PIKE / SHUTT MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-957784	2024-957784	Jul-22-2024	11:36:09	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	VALLEY FORGE RD / S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-958007	2024-958007	Jul-22-2024	12:31:18	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	1200 BLK TOWNSHIP LINE RD [TOWNSHIP LINE RD, WORCESTER TWP (MONTGOMERY)]	Yes	CLOSED CAD CALL
PA 2024-960473	2024-960473	Jul-23-2024	06:27:21	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	2200 BLOCK S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-961028	2024-961028	Jul-23-2024	07:36:39	RAPDGO(REQUEST ASSIST - LOCAL PD GO)	RAPDGO(REQUEST ASSIST - LOCAL PD GO)	2106 BUSTARD RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-960950	2024-960950	Jul-23-2024	08:09:27	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	2900 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-961172	2024-961172	Jul-23-2024	09:02:02	ABNVEH(ABANDONED VEHICLE GO)	PATCHK(PATROL CHECK CC)	SKIPPACK PIKE / BETHEL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-962423	2024-962423	Jul-23-2024	13:50:57	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	2900 BLOCK SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-962640	2024-962640	Jul-23-2024	14:45:36	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	VALLEY FORGE RD / S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-962645	2024-962645	Jul-23-2024	14:46:16	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	SKIPPACK PIKE / SHUTT MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-964148	2024-964148	Jul-23-2024	21:43:45	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	25 I476 N[I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-964263	2024-964263	Jul-23-2024	22:35:38	DISM (DISABLED MOTORIST CC)	DISM (DISABLED MOTORIST CC)	260 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-964337	2024-964337	Jul-23-2024	23:04:06	TRERDR(TRAFFIC VIOLATION/ERRATIC DRIVER CC)	TRADUI(TRAF VIOL-DUI ALCOHOL)	3406 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-964462	2024-964462	Jul-24-2024	00:35:13	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-964484	2024-964484	Jul-24-2024	00:58:42	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	3000 BLOCK W GERMANTOWN PIKE, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-964950	2024-964950	Jul-24-2024	07:06:23	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	255 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-965032	2024-965032	Jul-24-2024	07:25:54	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	SKIPPACK PIKE / BERKS RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-965852	2024-965852	Jul-24-2024	10:43:50	MVCNR (MVC - NON-REPORTABLE)	MVCNR (MVC - NON-REPORTABLE)	VALLEY FORGE RD / SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-966030	2024-966030	Jul-24-2024	11:18:41	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	267 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-966091	2024-966091	Jul-24-2024	11:30:32	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	267 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-967240	2024-967240	Jul-24-2024	15:50:06	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	268 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-968785	2024-968785	Jul-24-2024	23:40:36	ALARMB(ALARM - BURGLAR)	ALRMF (ALARM FALSE FAULT CC)	2005 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-969448	2024-969448	Jul-25-2024	07:23:12	BURG (BURGLARY OR ATTEMPTED BURGLARY)	DC (DISORDERLY CONDUCT)	3030 STUMP HALL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-969835	2024-969835	Jul-25-2024	09:15:34	MVCNR (MVC - NON-REPORTABLE)	CANCEL(CANCELLED BY COMPLAINANT X)	N WALES RD / BEAN RD, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-970507	2024-970507	Jul-25-2024	11:55:29	THEFT (THEFT)	THEFT (THEFT)	2204 SYCAMORE CIR, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-971313	2024-971313	Jul-25-2024	15:16:08	MVCHR (MVC - HIT AND RUN, NO INJURIES)	MVCHR (MVC - HIT AND RUN, NO INJURIES)	W GERMANTOWN PIKE / VALLEY FORGE RD [SUNOCO, WORCESTER TWP (MONTGOMERY)]	Yes	TRACS CRASH REPORT
PA 2024-972122	2024-972122	Jul-25-2024	19:14:42	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	2200 BLOCK S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-976026	2024-976026	Jul-26-2024	18:36:15	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	1800 BLOCK HOLLOW RD, WORCESTER TWP (MONTGOMERY)	Yes	TRAFFIC CITATION
PA 2024-976657	2024-976657	Jul-26-2024	21:44:46	WELCK (WELFARE CHECK GO)	REFER (REFER TO OTHER AGENCY - PD R)	VALLEY FORGE RD / TOWNSHIP LINE RD, WORCESTER TWP (MONTGOMERY)	Yes	REFER
PA 2024-979445	2024-979445	Jul-27-2024	17:08:11	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	265 1476 S, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-981838	2024-981838	Jul-28-2024	10:30:29	SEEOF(CSEE OFFICER GO)	SEEOF(CSEE OFFICER GO)	3205 MILL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-981950	2024-981950	Jul-28-2024	11:12:13	ALARMB(ALARM - BURGLAR)	ALRMNF(ALARM FALSE NO FAULT CC)	2699 HAWTHORN DR, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-982284	2024-982284	Jul-28-2024	13:22:17	DIST (DISTURBANCE/NOISE COMPLAINT GO)	REFER (REFER TO OTHER AGENCY - PD R)	VALLEY FORGE RD / WOODLYN AVE, WORCESTER TWP (MONTGOMERY)	Yes	REFER
PA 2024-983272	2024-983272	Jul-28-2024	18:36:52	MVCRNI(MVC - REPORTABLE, NO INJURIES)	MVCNR (MVC - NON-REPORTABLE)	2229 S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	TRACS CRASH REPORT
PA 2024-983360	2024-983360	Jul-28-2024	19:12:25	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	RAOGO (REQUEST ASSIST - OTHER AGENCY GO)	1224 VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-983497	2024-983497	Jul-28-2024	20:07:18	WELCK (WELFARE CHECK GO)	WELCK (WELFARE CHECK GO)	112 MEADOW VIEW LN, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-984381	2024-984381	Jul-29-2024	06:30:30	WELCK (WELFARE CHECK GO)	WELCK (WELFARE CHECK GO)	2297 WARNER RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-986217	2024-986217	Jul-29-2024	14:00:50	WELCK (WELFARE CHECK GO)	WELCK (WELFARE CHECK GO)	2941 POTSHOP RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-987210	2024-987210	Jul-29-2024	18:14:59	MVCNR (MVC - NON-REPORTABLE)	DISM (DISABLED MOTORIST CC)	2629 SKIPPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-987295	2024-987295	Jul-29-2024	18:39:33	INFORM(POLICE INFORMATION CC)	INFORM(POLICE INFORMATION CC)	1850 GREEN HILL RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-987840	2024-987840	Jul-29-2024	21:36:25	SEEOF(CSEE OFFICER GO)	ATL (ATTEMPT LOCATE PERSON - VEHICLE GO)	37 ESSEX CT, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-988829	2024-988829	Jul-30-2024	07:18:35	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	273 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-989494	2024-989494	Jul-30-2024	09:52:47	THEFT (THEFT)	THEFT (THEFT)	1850 GREEN HILL RD, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-990077	2024-990077	Jul-30-2024	12:24:43	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	254 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-990094	2024-990094	Jul-30-2024	12:29:05	TS (TRAFFIC STOP CC)	TS (TRAFFIC STOP CC)	274 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	WARNING (TRAFFIC STOP)
PA 2024-990797	2024-990797	Jul-30-2024	15:36:12	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	ROAD (ROAD HAZARD - ANIMAL - DEBRIS CC)	2117 BUSTARD RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-990967	2024-990967	Jul-30-2024	16:21:27	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-991351	2024-991351	Jul-30-2024	17:58:32	SAFE2S(SAFE2SAY REPORTING)	WELCK (WELFARE CHECK GO)	A - 1200 N GRANGE AVE, WORCESTER TWP (MONTGOMERY)	Yes	GENERAL OFFENSE
PA 2024-991437	2024-991437	Jul-30-2024	18:32:11	ALARMB(ALARM - BURGLAR)	CANCEL(CANCELLED BY COMPLAINANT X)	1024 ANVIL DR, WORCESTER TWP (MONTGOMERY)	Yes	CANCELLED
PA 2024-992944	2024-992944	Jul-31-2024	07:48:22	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	3000 BLOCK GRIFFITH RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-993031	2024-993031	Jul-31-2024	08:11:17	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	FISHER RD / S VALLEY FORGE RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-993083	2024-993083	Jul-31-2024	08:26:19	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	271 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call #	Report #	Call Date	Time	Initial Call Type	Final Call Type	Location	Founded	Cleared By
PA 2024-993515	2024-993515	Jul-31-2024	10:11:39	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	S VALLEY FORGE RD / FISHER RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-993530	2024-993530	Jul-31-2024	10:15:53	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	ISTAT (INTERSTATE HIGHWAY - STATIONARY PATROL CC)	270 I476 N, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-994340	2024-994340	Jul-31-2024	13:10:08	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	ILNZN (INTERSTATE HIGHWAY - CLEAR LINE ZONE CC)	275 I476 S, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-994411	2024-994411	Jul-31-2024	13:26:08	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	SKIPACK PIKE / LANDIS RD, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL
PA 2024-994682	2024-994682	Jul-31-2024	14:26:08	MOTCAS(MOTOR CARRIER SAFETY CC)	MOTCAS(MOTOR CARRIER SAFETY CC)	S VALLEY FORGE RD / SKIPACK PIKE, WORCESTER TWP (MONTGOMERY)	Yes	CLOSED CAD CALL

# Skippack Emergency Medical Services

4058 Mensch Rd  
P.O. Box 59  
Skippack, PA 19474

Business 610.454.9665  
Fax 610.454.9666



Skippack EMS  
July 2024 calls  
Worcester Township

Calls dispatched	53
Transported	24
Refusals	3
No services *	5
Fire	0
Covered by other squads (A station off status)	16
Lift assist	0
Recall (by 308B & 322)^	0

\* includes: accidental/false alarm for medical alert alarm, no patient found, deceased, or police matters

<sup>^</sup>308B and 322 each have coverage areas in Worcester Twp

## **Public Works Department Report**

**July 2024**

### **1) Road Maintenance**

- A. Cleared inlets and drains throughout the Township
- B. Filled potholes throughout the Township
- C. Adding stone to roadway edge erosion areas
- D. Road signage straightening and pruning
- E. Edge of roadway mowing
- F. 2024 Roadway Improvement Program concrete replacement underway
- G. Intersection visibility pruning
- H. Removal of dangerous trees over roadways (Green Hill Rd., Hollow Rd, Heebner Rd.)

### **2) Storm Maintenance**

- A. No significant storm events in July

### **3) Parks**

- A. Twice weekly cleaning of restrooms, emptying trash receptacles, and stocking dog bags
- B. Repairing washouts and general trail maintenance
- C. Removal of dead trees on Township properties/parks
- D. Power washing walks and structures
- E. Playing field maintenance
- F. Township property weed spraying (fence lines, bleacher, etc.)
- G. Heebner Park basketball courts restoration underway, Tennis courts completed
- H. Fertilizer and insecticide applications completed
- I. Heyser horse ring sand project completed
- J. Mt Kirk pavilion water leak repaired

### **4) Vehicle Maintenance**

- A. Performed weekly maintenance of all Township vehicles
- B. 64-50 Hydraulic leak repair
- C. 64-43 Claim repairs underway (tree damage, deer incident)

### **5) Miscellaneous**

- A. Setting up and cleaning of Community Hall for rentals and Township events
- B. Nike Compost facility open to residents twice weekly
- C. WVFD drainage project completed

*private utility enterprises, inc.*

*1000 E Walnut Street, Ste 721  
Perkasie, PA 18944*

*office 215-766-2626  
fax 215-766-2424*

**July 31, 2024**

**Township Manager  
Township of Worcester  
1721 Valley Forge Road  
Worcester, PA 19490**

**RE: Berwick STP PA0050393 and Valley Green STP PA0050393  
Monthly Operation and Maintenance Report for June 2024.**

Attached, please find the summary of analytical results and operation and maintenance activities for the Berwick and Valley Green sewage treatment plants and collection system.

Please feel free to contact me with questions at the above number.

Thank you,



**Teresa J Peachey  
Office Manager**

**Cc: John Scully, President  
John Evarts**

**Worcester Township WWTP  
Operations and Maintenance Report**

**June 2024**

**Non-Routine Maintenance / Events:**

**Valley Green WWTP**

6/6/2024 – Upon arrival found influent pump station #1 pump tripped. Tried to run pump in reverse to clear possible clog. Pump tripped out in reverse. Ran pump #2 in reverse then in forward and pump #2 ran and pumped retell down. Put Pump #2 in lead. Will pull pump #1 to check it out.

6/6/2024 - Pulled #1 influent pump. Pulled pump and found no clog however pump still does not run, will send it out to determine issue. Pulled #1 new side main blower to also send out for evaluation.

6/18/2024 - #1 train waste valve handle broken and would not open to waste. Pulled valve and replaced so wasting is now possible.

**FW: Your eDMR Report Has Been Received For Permit No. PA0055671**

Teresa Peachey <tpeachey@pueinc.com>

Wed 7/24/2024 1:11 PM

To:Debbie Dunfee <Ddunfee@pueinc.com>

---

**From:** depgreenporthelpdesk@state.pa.us <depgreenporthelpdesk@state.pa.us>

**Sent:** Wednesday, July 24, 2024 1:11:48 PM (UTC-05:00) Eastern Time (US & Canada)

**To:** jscullypue@gmail.com <jscullypue@gmail.com>; tryan@worcestertwp.com <tryan@worcestertwp.com>; jscullypue@gmail.com <jscullypue@gmail.com>

**Subject:** Your eDMR Report Has Been Received For Permit No. PA0055671

This email is to confirm that the following report was received by DEP through the eDMR system:

**Facility Name:** BERWICK PLACE STP

**Permit Number:** PA0055671

**Report Frequency:** Monthly

**Report Type:** DMR

**Reporting Period:** 06/01/2024-06/30/2024

**Report Due Date:** 07/28/2024

**Submitted By:** John Scully

**Submission Id:** 469578

**Submission Status:** Received

**Submission Type:** Original

To view the details of this report, access the eDMR system through DEP's [GreenPort](#) and select the link for View/Revise Submitted.



**COMMONWEALTH OF PENNSYLVANIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
**BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: PO BOX 7671721 VALLEY FORGE RD, WORCESTER, PA , 19490-0767  
 FACILITY: BERWICK PLACE STP  
 LOCATION: E. MT KIRK RD, WORCESTER, PA , 19490-0767  
 STAGE: Final Effluent

PERMIT NUMBER	001	OUTFALL NUMBER	
		Reporting Frequency:	Monthly
		DMR Effective From:	06/01/2024
		DMR Effective To:	06/30/2024
		Permit Expires:	10/31/2026
		Permit Application Due:	05/04/2026
		No Discharge:	<input type="checkbox"/>

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
2024	06	01		2024	06	30

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION			SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	UNITS		
Dissolved Oxygen (00300)	SAMPLE MEASUREMENT	***	***		5.87	***	***	1/day	Grab
	PERMIT REQUIREMENT	***	***		5.0	Daily Min.	***		
pH (00400)	SAMPLE MEASUREMENT	***	***		6.99	***	8.35	1/day	Grab
	PERMIT REQUIREMENT	***	***		6.0	Inst. Min.	9.0 MAX		
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	<.9	1.7	lbs/day	***	<2	3	1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5	12.5		10	Avg Mo	15 Wkly Avg		
Total Nitrogen (00600)	SAMPLE MEASUREMENT	<3	***	lbs/day	***	<5.46	***	1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		
Ammonia-Nitrogen (00610)	SAMPLE MEASUREMENT	.04	.09	lbs/day	***	.1	.2	1/week	24-Hr Composite
	PERMIT REQUIREMENT	1.9	2.9		1.5	Avg Mo	2.3 Wkly Avg		
Nitrate-Nitrite as N (00630)	SAMPLE MEASUREMENT	<2.9	<3.9	lbs/day	***	<5	<6	1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5	18.8		10	Avg Mo	15 Wkly Avg		
Total Phosphorus (00665)	SAMPLE MEASUREMENT	.4	***	lbs/day	***	.7	***	1/week	24-Hr Composite
	PERMIT REQUIREMENT	7	7		1.5	Avg Mo	1 Wkly Avg		

COMMONWEALTH OF PENNSYLVANIA  
 DEPARTMENT OF ENVIRONMENTAL PROTECTION  
 BUREAU OF CLEAN WATER

## DISCHARGE MONITORING REPORT (DMR)

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Ultraviolet light intensity (49607)	SAMPLE MEASUREMENT	***	***		.1	***	***	mW/cm <sup>2</sup>	1/day	Measured
	PERMIT REQUIREMENT	***	***		Monitor & Report Daily Min	***	***		1/day	Measured
Flow (50050)	SAMPLE MEASUREMENT	.069	.108	MGD	***	***	***	No./100 ml	Continuous	Metered
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	Monitor & Report Daily Max		***	***	***		Continuous	Metered
Fecal Coliform (74055)	SAMPLE MEASUREMENT	***	***		***	<9	560	mg/L	1/week	Grab
	PERMIT REQUIREMENT	***	***		***	200	1000		1/week	Grab
Carbonaceous Biochemical Oxygen Demand (CBOD5) (80082)	SAMPLE MEASUREMENT	<1.2	<1.4	lbs/day	***	<2	<2	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5 Avg Mo	18.8 Wkly Avg		***	10 Avg Mo	15 Wkly Avg		1/week	24-Hr Composite
Facility Comments										



**COMMONWEALTH OF PENNSYLVANIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
**BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: PO BOX 7671721 VALLEY FORGE RD, WORCESTER, PA , 19490-0767  
 FACILITY: BERWICK PLACE STP  
 LOCATION: E. MT KIRK RD, WORCESTER, PA , 19490-0767  
 STAGE: Raw Sewage Influent

PA0055671			001			Reporting Frequency: Monthly	
PERMIT NUMBER			OUTFALL NUMBER			DMR Effective From: 06/01/2024	
MONITORING PERIOD							
FROM	YEAR 2024	MO 06	DAY 01	TO	YEAR 2024	MO 06	DAY 30
Permit Expires: 10/31/2026							
Permit Application Due: 05/04/2026							
No Discharge: <input type="checkbox"/>							

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION			SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	UNITS		
Biochemical Oxygen Demand (BOD5) (00310)	SAMPLE MEASUREMENT	203	***	lbs/day	***	328	***	mg/L	1/week
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		24-Hr Composite
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	131	***	lbs/day	***	215	***	mg/L	1/week
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		24-Hr Composite
Facility Comments									

**ATTACHMENT DETAILS**

FILE NAME	ATTACHMENT TYPE	UPLOADED TIME	ATTACHMENT COMMENT
2424186 Inf Eff 6.13.24	Laboratory Analytical Report	7/23/2024 2:44:57 PM	
2426245 Inf 6.27.24	Laboratory Analytical Report	7/23/2024 2:46:02 PM	
Berwick DMR Jun 2024	Daily Effluent Monitoring Form	7/23/2024 2:41:59 PM	
Berwick Sludge Form Jun 2024	Sewage Sludge / Biosolids Production and Disposal Form	7/23/2024 2:43:31 PM	
2425238 Inf Eff 6.20.24	Laboratory Analytical Report	7/23/2024 2:45:25 PM	
Berwick Inf Proc Cntl Jun 2024	Influent and Process Control Form	7/23/2024 2:42:29 PM	
2423089 Inf Eff 6.6.24	Laboratory Analytical Report	7/23/2024 2:44:03 PM	

**COMMENT DETAILS**

COMMENTS	OPERATOR NAME	OPERATOR CERTIFICATION NUMBER	OPERATOR CONTACT NUMBER
	John Scully	S14080	(215)-766-2626

**SUPPLEMENTAL REPORT  
DAILY EFFLUENT MONITORING**

3800-FM-BCW0435 3/2012

Facility Name: Berwick Place STP  
 Municipality: Worcester Twp  
 Watershed: 3-E  
 Laboratories: MJ Reider Associates, Inc  
 County: Montgomery Coun

Month: 6 (select number)  
 Year: 2024  
 Permit No.: PA0055671  
 Outfall: 001  
 Renewal application due 180 days prior to expiration.  
 This permit will expire on: January 31, 2026

Parameter		Flow	Fecal Coliform	pH	Dissolved Oxygen	CBOD5	TSS	UV Intensity	NO2-N + NO3-N	Total Nitrogen	NH3-N	Total Phosphorus	BOD5	TSS
Stage		1	1	1	1	1	1	1	2	1	1	1	1	TSS
Week	Day	Date	MGD	Q	CFU/100 ml	Q	S.U.	Q	mg/L	Q	mg/L	Q	mg/L	RI
1	Sat	6/1/24	0.0694			7.66	7.96			0.1				
	Sun	6/2/24	0.0895			7.65	7.71			0.1				
	Mon	6/3/24	0.0703			7.59	5.92			0.3				
	Tue	6/4/24	0.0578			7.82	7.5			0.9				
	Wed	6/5/24	0.0705			8.16	7.62			0.2				
	Thu	6/6/24	0.0688	560.0		7.99	7.83	<	2.0	<	1.0	0.1	<	4.08
	Fri	6/7/24	0.0336			7.83	7.52			0.3				
2	Sat	6/8/24	0.108			8.09	9.16			0.1				
	Sun	6/9/24	0.0635			7.66	7.98			0.1				
	Mon	6/10/24	0.0698			7.62	6.4			0.1				
	Tue	6/11/24	0.0647			8.05	8.01			0.7				
	Wed	6/12/24	0.0604			7.84	7.95			0.2				
	Thu	6/13/24	0.0782	3.0		7.74	7.89	<	2.0	<	1.0	0.3	<	5.91
	Fri	6/14/24	0.0625			7.81	7.59			0.1				
3	Sat	6/15/24	0.0497			7.75	7.86			0.1				
	Sun	6/16/24	0.0859			7.79	7.83			0.1				
	Mon	6/17/24	0.0576			7.54	5.87			0.3				
	Tue	6/18/24	0.0456			7.85	7.47			0.6				
	Wed	6/19/24	0.0854			8.01	8.93			0.1				
	Thu	6/20/24	0.0688	< 2.0		7.73	7.82	<	2.0		3.0	0.1	<	4.03
	Fri	6/21/24	0.0603			8.35	8.66			0.3				
4	Sat	6/22/24	0.0858			7.72	7.21			0.1				
	Sun	6/23/24	0.078			6.99	7.73			0.1				
	Mon	6/24/24	0.0786			7.67	5.87			0.5				
	Tue	6/25/24	0.0604			7.86	7.34			0.2				
	Wed	6/26/24	0.0547			7.82	7.14			0.1				
	Thu	6/27/24	0.0822	< 2.0		7.76	7.76	<	2.0	<	1.0	0.1	<	4.49
	Fri	6/28/24	0.0525			7.89	7.7			0.3				
5	Sat	6/29/24	0.0665			7.74	7.7			0.1				
	Sun	6/30/24	0.0921			7.65	7.41			0.1				

**Statistics for DMR**

Daily Minimum (Conc.):	<	2	6.99	5.87	<	2	<	1	0.1	<	4.03	<	4.53	0.03	0.58	291	130
Daily Maximum (Conc.):		560	8.35	9.16	<	2		3	0.9	<	5.91	<	6.55	0.16	0.89	383	387
Max Avg Weekly (Conc.):				7.68	<	2		3	0.3	<	6	<	6.55	0.2	0.89	383	387
Avg Monthly (Conc.):				7.58	<	2	<	2	0.2	<	5	<	5.46	0.1	0.7	328	215
Geometric Mean (Conc.):	<	9															
Max Avg Weekly (Load):	0.0712			5	<	1.4		1.7		<	3.9	<	4	0.09	0.6	220	222
Avg Monthly (Load):	0.069			4	<	1.2	<	0.9		<	2.9	<	3	0.04	0.4	203	131
Total Monthly (Load):	2.0711			132	<	37.3	<	27.2		<	86.9	<	102	1.2	13.4	6080	3928
Daily Minimum (Load):	0.0336			2	<	1.1	<	0.6		<	2.3	<	3	0.02	0.4	186	85
Daily Maximum (Load):	0.108			8	<	1.4		1.7		<	3.9	<	4	0.09	0.6	220	222

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
 Title: Operator

License No.: S14080  
 Date:



Facility Name:

Berwick Place STP

Municipality:

Worcester Twp

Watershed:

3-E

## SUPPLEMENTAL REPORT - INFLUENT &amp; PROCESS CONTROL

3800-FM-BCW0436 3/2012

Month: June

Year: 2024

NPDES Permit No.: PA0055671

Renewal application due 180 days prior to expiration.

This permit will expire on: January 31, 2026

Day	Influent					Process Control			
	Flow (MGD)	BOD <sub>5</sub> (mg/l)	BOD <sub>5</sub> (lbs)	TSS (mg/l)	TSS (lbs)	Aeration MLSS (mg/l)	Aeration DO (mg/l)	Sludge Wasted (gallons)	
1	0.0793								
2	0.0929								
3	0.0708								
4	0.0741								
5	0.0931								
6	0.0808	383.0	258	387.0	261				
7	0.0395								
8	0.1291								
9	0.08								
10	0.076								
11	0.0767								
12	0.0861								
13	0.0818	291.0	198	130.0	89				
14	0.0534								
15	0.0824								
16	0.1022								
17	0.0637								
18	0.0637								
19	0.1127								
20	0.0848	324.0	229	163.0	115				
21	0.0679								
22	0.0999								
23	0.1052								
24	0.0834								
25	0.0751								
26	0.0808								
27	0.0973	314.0	255	180.0	146				
28	0.0624								
29	0.0704								
30	0.1194								
31									
Avg	0.083	328	235	215	153				
Max	0.129	383	258	387	261				

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
Title: Operator

License No.: S14080  
Date: \_\_\_\_\_





**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2423089

Report: 06/13/24

Lab Contact: Rafael A Quijada

**Attention:** Teresa Peachy  
**Reported To:** Private Utility Enterprises, Inc.  
 1000 E. Walnut St. Suite 721  
 Perkasie, PA 18944

**Project Info:** Berwick Place STP NPDES - 1x/wk

**Lab ID:** 2423089-01      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Composite)

**Sampled:** 06/06/24 09:40

**Received:** 06/06/24 14:37

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.16	mg/L	0.02	EPA 350.1 Rev 2.0	06/08/24		SNF	1.5
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/L	2.0	SM 5210 B	06/07/24 9:53		LEH	10
Nitrate as N	3.98	mg/L	1.00	EPA 300.0 Rev 2.1	06/06/24 19:03		KCS	10
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/06/24 19:03		KCS	
Nitrate+Nitrite as N	<4.08	mg/L	1.10	CALCULATED	06/06/24 19:03		KCS	
Nitrogen, Total	<5.45	mg/L	1.60	CALCULATED	06/11/24 10:26		KMS	
Nitrogen, Total Kjeldahl (TKN)	1.37	mg/L	0.50	EPA 351.2 Rev 2.0	06/11/24		KMS	
Phosphorus as P, Total	0.78	mg/L	0.01	SM 4500-P F	06/08/24		SNF	1.5
Solids, Total Suspended	<1	mg/L	1	SM 2540 D	06/07/24		ALD	10

**Lab ID:** 2423089-02      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Grab)

**Sampled:** 06/06/24 09:40

**Received:** 06/06/24 14:37

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	560	CFU/100mL	2	SM 9222 D	6/6/24 16:22	6/7/24 15:02		KMS	200

**Lab ID:** 2423089-03      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Influent (Composite)

**Sampled:** 06/06/24 09:45

**Received:** 06/06/24 14:37

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	383	mg/L	2.0	SM 5210 B	06/07/24 11:10		KXS	
Solids, Total Suspended	387	mg/L	1	SM 2540 D	06/07/24		ALD	



107 Angelica Street □ Reading, PA 19611 □ www.mjreider.com □ (610) 374-5129 □ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2424186

Report: 06/26/24

Lab Contact: Rafael A Quijada

Attention: Teresa Peachy  
Reported To: Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

Project Info: Berwick Place STP NPDES - 1x/wk

Lab ID: 2424186-01 Collected By: Client  
Sample Desc: Berwick Place STP Effluent (Composite)

Sampled: 06/13/24 09:15

Received: 06/13/24 15:02

Sample Type: Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.03	mg/L	0.02	EPA 350.1 Rev 2.0	06/20/24		SNF	1.5
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/L	2.0	SM 5210 B	06/14/24 14:30		LEH	10
Nitrate as N	5.81	mg/L	1.00	EPA 300.0 Rev 2.1	06/13/24 23:56		KCS	10
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/13/24 23:56		KCS	
Nitrate+Nitrite as N	<5.91	mg/L	1.10	CALCULATED	06/13/24 23:56		KCS	
Nitrogen, Total	<6.55	mg/L	1.60	CALCULATED	06/15/24 2:50		NJG	
Nitrogen, Total Kjeldahl (TKN)	0.64	mg/L	0.50	EPA 351.2 Rev 2.0	06/15/24		NJG	
Phosphorus as P, Total	0.89	mg/L	0.01	SM 4500-P F	06/20/24		SNF	1.5
Solids, Total Suspended	<1	mg/L	1	SM 2540 D	06/17/24		ALD	10

Lab ID: 2424186-02 Collected By: Client  
Sample Desc: Berwick Place STP Effluent (Grab)

Sampled: 06/13/24 09:15

Received: 06/13/24 15:02

Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	3	CFU/100mL	2	SM 9222 D	6/13/24 15:46	6/14/24 14:21		ZJB	200

Lab ID: 2424186-03 Collected By: Client  
Sample Desc: Berwick Place STP Influent (Composite)

Sampled: 06/13/24 09:20

Received: 06/13/24 15:02

Sample Type: Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	291	mg/L	13.3	SM 5210 B	06/14/24 17:00		LEH	
Solids, Total Suspended	130	mg/L	1	SM 2540 D	06/17/24		ALD	



107 Angelica Street O Reading, PA 19611 O www.mjreider.com O (610) 374-5129 O fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2425238

Report: 06/28/24

Lab Contact: Rafael A Quijada

**Attention:** Teresa Peachy  
**Reported To:** Private Utility Enterprises, Inc.  
 1000 E. Walnut St. Suite 721  
 Perkasie, PA 18944

**Project Info:** Berwick Place STP NPDES - 1x/wk

**Lab ID:** 2425238-01    **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Composite)

**Sampled:** 06/20/24 09:35

**Received:** 06/20/24 14:27

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.04	mg/L	0.02	EPA 350.1 Rev 2.0	06/22/24		SNF	1.5
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/L	2.0	SM 5210 B	06/21/24 13:20	B-01	LEH	10
Nitrate as N	3.93	mg/L	1.00	EPA 300.0 Rev 2.1	06/20/24 22:25		JAF	10
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/20/24 22:25		JAF	
Nitrate+Nitrite as N	<4.03	mg/L	1.10	CALCULATED	06/20/24 22:25		JAF	
Nitrogen, Total	<4.53	mg/L	1.60	CALCULATED	06/24/24 21:05		KMS	
Nitrogen, Total Kjeldahl (TKN)	<0.50	mg/L	0.50	EPA 351.2 Rev 2.0	06/24/24		KMS	
Phosphorus as P, Total	0.63	mg/L	0.01	SM 4500-P F	06/22/24		SNF	1.5
Solids, Total Suspended	3	mg/L	1	SM 2540 D	06/24/24		ALD	10

**Lab ID:** 2425238-02    **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Grab)

**Sampled:** 06/20/24 09:35

**Received:** 06/20/24 14:27

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/20/24 17:00	6/21/24 16:24		ZJB	200

**Lab ID:** 2425238-03    **Collected By:** Client  
**Sample Desc:** Berwick Place STP Influent (Composite)

**Sampled:** 06/20/24 09:40

**Received:** 06/20/24 14:27

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	324	mg/L	40.0	SM 5210 B	06/21/24 11:53		AAM	
Solids, Total Suspended	163	mg/L	1	SM 2540 D	06/21/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (201)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2426245

Report: 07/09/24

Lab Contact: Rafael A Quijada

**Attention:** Teresa Peachy

**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Berwick Place STP NPDES - 1x/wk

**Lab ID:** 2426245-01      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Composite)

**Sampled:** 06/27/24 09:40

**Received:** 06/27/24 14:41

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.04	mg/L	0.02	EPA 350.1 Rev 2.0	06/29/24		SNF	1.5
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/L	2.0	SM 5210 B	06/28/24 15:22		KMD	10
Nitrate as N	4.39	mg/L	1.00	EPA 300.0 Rev 2.1	06/27/24 15:19		KCS	10
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/27/24 15:19		KCS	
Nitrate+Nitrite as N	<4.49	mg/L	1.10	CALCULATED	06/27/24 15:19		KCS	
Nitrogen, Total	<5.29	mg/L	1.60	CALCULATED	07/05/24 21:34		NJG	
Nitrogen, Total Kjeldahl (TKN)	0.80	mg/L	0.50	EPA 351.2 Rev 2.0	07/05/24		NJG	
Phosphorus as P, Total	0.58	mg/L	0.01	SM 4500-P F	06/29/24		SNF	1.5
Solids, Total Suspended	<1	mg/L	1	SM 2540 D	06/28/24		ALD	10

**Lab ID:** 2426245-02      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Effluent (Grab)

**Sampled:** 06/27/24 09:40

**Received:** 06/27/24 14:41

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/27/24 17:01	6/28/24 15:39		ZJB	200

**Lab ID:** 2426245-03      **Collected By:** Client  
**Sample Desc:** Berwick Place STP Influent (Composite)

**Sampled:** 06/27/24 09:45

**Received:** 06/27/24 14:41

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	314	mg/L	40.0	SM 5210 B	06/28/24 13:26		KXS	
Solids, Total Suspended	180	mg/L	1	SM 2540 D	06/28/24		ALD	



107 Angelica Street O Reading, PA 19611 O www.mjreider.com O (610) 374-5129 O fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)

## BERWICK WWTP

Worcester

NPDES PERMIT # PA0055671

Month: June

Year: 2024

#4

	EQ for Trains 3 & 4				Pump Setting				ND = New Drum					Alum Inches	Sludge Removal - Gals	
	Pump 1	D/H 2	Pump 2	D/H 3	Alum 1	Alum 2	Alum 3	Alum 4	Meth 1	Meth 2	Meth 3	Meth 4	Meth Inches		Trains 1 & 2	Trains 3 & 4
DAY																
1	38092.6	0.0	46772.1	19.3	1.5	2.5	1.5	1.5	2.5	3.0	2.0	2.5	OK	OK		
2	38092.6	0.0	46791.4	21.1	1.5	2.5	1.5	1.5	2.5	3.0	2.0	2.5	OK	OK		
3	38092.6	19.5	46812.5	0.0	2.0	3.0	2.0	2.0	2.5	3.0	2.0	2.5	ND	OK		
4	38112.1	14.5	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	ND		
5	38126.6	18.3	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	OK		
6	38144.9	17.0	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	OK	5000	5000
7	38161.9	7.5	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	OK		
8	38169.4	27.9	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	OK		
9	38197.3	13.4	46812.5	0.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	ND	OK		
10	38210.7	0.0	46812.5	23.0	2.0	3.0	2.0	2.0	3.5	3.5	2.0	2.0	OK	OK		
11	38210.7	0.0	46835.5	18.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
12	38210.7	0.0	46853.5	17.3	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
13	38210.7	0.0	46870.8	21.1	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	ND		
14	38210.7	0.0	46891.9	11.9	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	ND	OK	5000	5000
15	38210.7	0.0	46903.8	18.9	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
16	38210.7	0.0	46922.7	20.1	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
17	38210.7	15.1	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
18	38225.8	12.2	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	ND	OK		
19	38238.0	21.0	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
20	38259.0	18.1	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
21	38277.1	12.9	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	ND	ND	5000	5000
22	38290.0	17.2	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
23	38307.2	18.3	46942.8	0.0	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
24	38325.5	0.0	46942.8	18.4	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
25	38325.5	0.0	46961.2	19.1	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
26	38325.5	0.0	46980.3	15.5	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	ND	OK		
27	38325.5	0.0	46995.8	22.5	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
28	38325.5	0.0	47018.3	13.8	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	ND	ND	4000	4000
29	38325.5	0.0	47032.1	15.7	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
30	38325.5	0.0	47047.8	25.4	2.0	3.0	2.0	2.0	4.5	4.5	2.0	3.0	OK	OK		
31																

06/06/2024 - Franc hauled out 10,000 gal. of sludge to Pottstown

06/14/2024 - Franc hauled out 10,000 gal. of sludge to Pottstown

06/21/2024 - Franc hauled out 10,000 gal. of sludge to Pottstown

06/28/2024 - Franc hauled out 8,000 gal. of sludge to Pottstown

BERWICK WWTP

## **Worcester**

## **Month: June**

**Year:**

2024

NPDES PERMIT # PA0055671

#5

BERWICK WWTP

## **Worcester**

**NPDES PERMIT # PA0055671**

**Month: June**

Year: 2024

#6

BERWICK WWTP

## **Worcester**

**NPDES PERMIT # PA0055671**

## **Month: June**

**Year:**

2024

#7

BERWICK WWTP

## **Worcester**

**NPDES PERMIT # PA0055671**

**Month:** June      **Year:** 2024

BERWICK WWTP

Worcester

**NPDES PERMIT # PA0055671**

**Month: June**

Year: 2024

#1

BERWICK WWTP

Worcester

**NPDES PERMIT # PA0055671**

**Month:** June      **Year:** 2024

June

**Year:**

2024

#2

## BERWICK WWTP

Worcester

NPDES PERMIT # PA0055671

Month: June

Year: 2024

#3

DAY	Op Int	Influent		Effluent			Test Auto	Gen Hrs	Effluent Lab Testing					
		Totalizer	MGD	Totalizer x 10	GPM	MGD			Dialer	PH	DO	Temp	NH3	Phos
1	JO	6649754	0.079256	2310867	55	0.0694	X	516.3	7.66	7.96	22	0.2		
2	JO	6729010	0.092897	2311561	51	0.0895	X	516.3	7.65	7.71	22	0.2		
3	CCC	6821907	0.070837	2312456	66	0.0703	X	516.3(F)	7.59	5.92	23	0.5	1.30	4.6
4	CCC	6892744	0.074143	2313159	70	0.0578	X	516.8(F)	7.82	7.50	23	0.2	0.84	5.2
5	CCC	6966887	0.093103	2313737	69	0.0705	X	516.8	8.16	7.62	24	0.2	0.75	5.4
6	CCC	7059990	0.080835	2314442	70	0.0688	X	516.8	7.99	7.83	6	0.2	0.78	4.6
7	CCC	7140825	0.039512	2315130	69	0.0336	X	516.8	7.83	7.52	23	0.2	0.73	3.9
8	CW	7180337	0.129069	2315466	17	0.1080	X	516.8	8.09	9.16	22	0.2		
9	CW	7309406	0.080017	2316546	53	0.0635	X	516.8	7.66	7.98	22	0.2		
10	CCC	7389423	0.076015	2317181	70	0.0698	X	516.8	7.62	6.40	23	0.2	0.69	6.4
11	CCC	7465438	0.076659	2317879	69	0.0647	X	517.4(F)	8.05	8.01	22	0.2	0.67	6.7
12	CCC	7542097	0.086131	2318526	65	0.0604	X	517.4	7.84	7.95	22	0.2	0.76	6.6
13	CCC	7628228	0.081761	2319130	72	0.0782	X	517.4	7.74	7.89	5	0.2	0.86	6.3
14	CCC	7709989	0.053405	2319912	69	0.0625	X	517.4	7.81	7.59	24	0.2	1.20	6.6
15	MB	7763394	0.082379	2320537	59	0.0497	X	517.4	7.75	7.86	24	0.2		
16	MB	7845773	0.102150	2321034	73	0.0859	X	517.4	7.79	7.83	24	0.2		
17	CCC	7947923	0.063650	2321893	69	0.0576	X	517.4	7.54	5.87	24	0.2	0.75	4.4
18	CCC	8011573	0.063662	2322469	73	0.0456	X	517.9(F)	7.85	7.47	25	0.2	0.73	3.3
19	CCC	8075235	0.112654	2322925	44	0.0854	X	517.9	8.01	8.93	24	0.2	0.58	5.1
20	CCC	8187889	0.084832	2323779	69	0.0688	X	517.9	7.73	7.82	6	0.2	0.60	4.5
21	CCC	8272721	0.067861	2324467	46	0.0603	X	517.9	8.35	8.66	25	0.2	0.59	5.0
22	JO	8340582	0.099863	2325070	30	0.0858	X	517.9	7.72	7.21	26	0.2		
23	JO	8440445	0.105173	2325928	74	0.0780	X	517.9	6.99	7.73	27	0.2		
24	CCC	8545618	0.083393	2326708	71.00	0.0786	X	517.9	7.67	5.87	26	0.2	0.68	2.4
25	CCC	8629011	0.075092	2327494	69	0.0604	X	518.4(F)	7.86	7.34	26	0.2	0.60	2.5
26	CCC	8704103	0.080764	2328098	69	0.0547	X	518.4	7.82	7.14	26	0.2	0.55	3.7
27	CCC	8784867	0.097269	2328645	72	0.0822	X	518.4	7.76	7.76	5	0.2	0.51	5.0
28	CCC	8882136	0.062381	2329467	69	0.0525	X	518.4	7.89	7.70	25	0.2	0.58	5.0
29	CW	8944517	0.070426	2329992	75	0.0665	X	518.4	7.74	7.70	27	0.2		
30	CW	9014943	0.119415	2330657	44	0.0921	X	518.4	7.65	7.41	26	0.2		
			0.0828		Total:	2.0711			Min:	6.99	5.87			
			Max:	0.129069				Max:	8.35	9.16				

**FW: Your eDMR Report Has Been Received For Permit No. PA0050393**

Teresa Peachey <tpeachey@pueinc.com>

Wed 7/24/2024 1:18 PM

To:Debbie Dunfee <Ddunfee@pueinc.com>

---

**From:** depgreenporthelpdesk@state.pa.us <depgreenporthelpdesk@state.pa.us>

**Sent:** Wednesday, July 24, 2024 1:07:05 PM (UTC-05:00) Eastern Time (US & Canada)

**To:** jscullypue@gmail.com <jscullypue@gmail.com>; jscullypue@gmail.com <jscullypue@gmail.com>; tryan@worcestertwp.com <tryan@worcestertwp.com>

**Subject:** Your eDMR Report Has Been Received For Permit No. PA0050393

This email is to confirm that the following report was received by DEP through the eDMR system:

**Facility Name:** VALLEY GREEN STP

**Permit Number:** PA0050393

**Report Frequency:** Monthly

**Report Type:** DMR

**Reporting Period:** 06/01/2024-06/30/2024

**Report Due Date:** 07/28/2024

**Submitted By:** John Scully

**Submission Id:** 469566

**Submission Status:** Received

**Submission Type:** Original

To view the details of this report, access the eDMR system through DEP's [GreenPort](#) and select the link for View/Revise Submitted.

COMMONWEALTH OF PENNSYLVANIA  
 DEPARTMENT OF ENVIRONMENTAL PROTECTION  
 BUREAU OF CLEAN WATER

## DISCHARGE MONITORING REPORT (DMR)

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: 1721 VALLEY FORGE ROADP. O. BOX 767, WORCESTER, PA ,  
 19490-0767  
 FACILITY: VALLEY GREEN STP  
 LOCATION: VALLEY FORGE ROAD & DEFFORD ROAD, WORCESTER, PA ,  
 19490  
 STAGE: Final Effluent

PA0050393			001		
PERMIT NUMBER			OUTFALL NUMBER		
MONITORING PERIOD					
FROM					
YEAR 2024	MO 06	DAY 01	YEAR 2024	MO 06	DAY 30

Reporting Frequency: Monthly  
 DMR Effective From: 06/01/2024  
 DMR Effective To: 06/30/2024  
 Permit Expires: 06/30/2026  
 Permit Application Due: 01/01/2026  
 No Discharge:

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION			SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	UNITS		
Dissolved Oxygen (00300)	SAMPLE MEASUREMENT	***	***		8.08	***	***	mg/L	1/day
	PERMIT REQUIREMENT	***	***		6.0 Inst Min	***	***		Grab
pH (00400)	SAMPLE MEASUREMENT	***	***		6.27	***	7.98	S.U.	1/day
	PERMIT REQUIREMENT	***	***		6.0 Inst Min	***	9.0 IMAX		Grab
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	<2.5	5.0	lbs/day	***	<2.0	4.0	mg/L	1/week
	PERMIT REQUIREMENT	29.01	44.00		***	16.0 Avg Mo	24.0 Wkly Avg		24-Hr Composite
Total Nitrogen (00600)	SAMPLE MEASUREMENT	***	***		***	<44.4	***	mg/L	1/week
	PERMIT REQUIREMENT	***	***		***	Monitor & Report Avg Mo	***		24-Hr Composite
Ammonia-Nitrogen (00610)	SAMPLE MEASUREMENT	1.1	***	lbs/day	***	.9	***	mg/L	1/week
	PERMIT REQUIREMENT	3.7	***		***	2.0 Avg Mo	***		24-Hr Composite
Total Phosphorus (00665)	SAMPLE MEASUREMENT	.6	***	lbs/day	***	.51	***	mg/L	1/week
	PERMIT REQUIREMENT	1.1	***		***	.61 Avg Mo	***		24-Hr Composite
Ultraviolet light intensity (49607)	SAMPLE MEASUREMENT	***	***		.1	***	***	\muW/cm <sup>2</sup>	1/day
	PERMIT REQUIREMENT	***	***		Monitor & Report Daily Min	***	***		Metered

COMMONWEALTH OF PENNSYLVANIA  
 DEPARTMENT OF ENVIRONMENTAL PROTECTION  
 BUREAU OF CLEAN WATER

## DISCHARGE MONITORING REPORT (DMR)

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Flow (50050)	SAMPLE MEASUREMENT	.1394	.2012	MGD	***	***	***		Continuous	Recorded
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	Monitor & Report Daily Max		***	***	***		Continuous	Recorded
Fecal Coliform (74055)	SAMPLE MEASUREMENT	***	***		***	<2	<2	No./100 ml	1/week	Grab
	PERMIT REQUIREMENT	****	***		***	200 Geo Mean	1000 MAX		1/week	Grab
Carbonaceous Biochemical Oxygen Demand (CBOD5) (80082)	SAMPLE MEASUREMENT	<2.8	3.3	lbs/day	***	<2.2	3.0	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	18.3 Avg Mo	27.5 Wkly Avg		***	10.0 Avg Mo	15.0 Wkly Avg		1/week	24-Hr Composite
Facility Comments										



**COMMONWEALTH OF PENNSYLVANIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
**BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: 1721 VALLEY FORGE ROAD P. O. BOX 767, WORCESTER, PA ,  
 19490-0767  
 FACILITY: VALLEY GREEN STP  
 LOCATION: VALLEY FORGE ROAD & DEFFORD ROAD, WORCESTER, PA ,  
 19490  
 STAGE: Raw Sewage Influent

PA0050393		001		Reporting Frequency:	Monthly				
PERMIT NUMBER		OUTFALL NUMBER		DMR Effective From:	06/01/2024				
MONITORING PERIOD		Permit Expires:		DMR Effective To:	06/30/2024				
FROM		YEAR	MO	DAY	YEAR	MO	DAY	Permit Expires:	06/30/2026
2024		06	01	TO	2024	06	30	Permit Application Due:	01/01/2026
				No Discharge:		<input type="checkbox"/>			

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION			SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	UNITS		
Biochemical Oxygen Demand (BOD5) (00310)	SAMPLE MEASUREMENT	340	***	lbs/day	***	273	***	mg/L	1/week
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		24-Hr Composite
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	446	***	lbs/day	***	358	***	mg/L	1/week
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		24-Hr Composite
Facility Comments									

**ATTACHMENT DETAILS**

FILE NAME	ATTACHMENT TYPE	UPLOADED TIME	ATTACHMENT COMMENT
W Valley Green DMR Jun 2024	Daily Effluent Monitoring Form	7/23/2024 2:13:46 PM	
2425241 Inf Eff 6.20.24	Laboratory Analytical Report	7/23/2024 2:17:44 PM	
2424246 Inf Eff 6.27.24	Laboratory Analytical Report	7/23/2024 2:18:16 PM	
W Valley Green Sludge Form Jun 2024	Sewage Sludge / Biosolids Production and Disposal Form	7/23/2024 2:14:58 PM	
2424187 Inf Eff 6.13.24	Laboratory Analytical Report	7/23/2024 2:16:30 PM	
2425241 Inf Eff 6.20.24	Laboratory Analytical Report	7/23/2024 2:16:59 PM	
2423090 Inf Eff 6.6.24	Laboratory Analytical Report	7/23/2024 2:15:31 PM	
W Valley Green Inf Proc Cntl Jun 2024	Influent and Process Control Form	7/23/2024 2:14:21 PM	

**COMMENT DETAILS**

COMMENTS	OPERATOR NAME	OPERATOR CERTIFICATION NUMBER	OPERATOR CONTACT NUMBER
	John Scully	S14080	(215)-766-2626





## SUPPLEMENTAL REPORT - INFLUENT &amp; PROCESS CONTROL

3800-FM-BCW0436 3/2012

Facility Name: Valley Green STP  
Municipality: Worcester Twp  
Watershed: 3-E

County: Montgomery

Month: June Year: 2024  
NPDES Permit No.: PA0050393  
Renewal application due 180 days prior to expiration.  
This permit will expire on: June 30, 2026

Day	Influent					Process Control			
	Flow (MGD)	BOD <sub>5</sub> (mg/l)	BOD <sub>5</sub> (lbs)	TSS (mg/l)	TSS (lbs)	Aeration MLSS (mg/l)	Aeration DO (mg/l)	Sludge Wasted (gallons)	
1	0.1235								
2	0.1318								
3	0.1436								
4	0.142								
5	0.1068								
6	0.0	287.0	0	373.0	0				
7	0.0								
8	0.0								
9	0.0								
10	0.0								
11	0.0								
12	0.0								
13	0.0	236.0	0	244.0	0				
14	0.0								
15	0.0								
16	0.0								
17	0.0								
18	0.0								
19	0.0								
20	0.0	323.0	0	456.0	0				
21	0.0								
22	0.0								
23	0.0								
24	0.0								
25	0.0								
26	0.0								
27	0.0	247.0	0	360.0	0				
28	0.0								
29	0.0								
30	0.0								
31									
Avg	0.022	273		358					
Max	0.144	323		456					

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
Title: Operator

License No.: S14080  
Date: \_\_\_\_\_



M.J. Reider Associates, Inc.

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2423090

Report: 06/17/24

Lab Contact: Rafael A Quijada

Attention: Teresa Peachy  
Reported To: Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

Project Info: Worcester Valley Green NPDES - wkly

Lab ID: 2423090-01 Collected By: Client  
Sample Desc: Worcester Valley Green Effluent (Composite)

Sampled: 06/06/24 10:05

Received: 06/06/24 14:37

Sample Type: Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
General Chemistry								
Ammonia as N	0.70	mg/L	0.02	EPA 350.1 Rev 2.0	06/08/24		SNF	2
Carbonaceous Biochemical Oxygen Demand	2.1	mg/L	2.0	SM 5210 B	06/07/24 16:24		AAM	10
Nitrate as N	43.1	mg/L	1.00	EPA 300.0 Rev 2.1	06/06/24 21:18		KCS	
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/06/24 21:18		KCS	
Nitrate+Nitrite as N	<43.20	mg/L	1.10	CALCULATED	06/06/24 21:18		KCS	
Nitrogen, Total	<43.70	mg/L	1.60	CALCULATED	06/11/24 10:18		KMS	
Nitrogen, Total Kjeldahl (TKN)	<0.50	mg/L	0.50	EPA 351.2 Rev 2.0	06/11/24		KMS	
Phosphorus as P, Total	0.53	mg/L	0.01	SM 4500-P F	06/08/24		SNF	0.61
Solids, Total Suspended	<1	mg/L	1	SM 2540 D	06/07/24		ALD	16

Lab ID: 2423090-02 Collected By: Client  
Sample Desc: Worcester Valley Green Effluent (Grab)

Sampled: 06/06/24 10:05

Received: 06/06/24 14:37

Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
Microbiology									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/6/24 16:22	6/7/24 15:02		KMS	200

Lab ID: 2423090-03 Collected By: Client  
Sample Desc: Worcester Valley Green Influent (Composite)

Sampled: 06/06/24 10:05

Received: 06/06/24 14:37

Sample Type: Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
General Chemistry								
Biochemical Oxygen Demand	287	mg/L	2.0	SM 5210 B	06/07/24 11:10		KXS	
Solids, Total Suspended	373	mg/L	1	SM 2540 D	06/07/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2424187

Report: 06/26/24

Lab Contact: Rafael A Quijada

**Attention:** Teresa Peachy  
**Reported To:** Private Utility Enterprises, Inc.  
 1000 E. Walnut St. Suite 721  
 Perkasie, PA 18944

**Project Info:** Worcester Valley Green NPDES - wkly

**Lab ID:** 2424187-01    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sampled:** 06/13/24 09:40    **Received:** 06/13/24 15:02  
**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	1.56	mg/L	0.02	EPA 350.1 Rev 2.0	06/20/24		SNF	2
Carbonaceous Biochemical Oxygen Demand	2.6	mg/L	2.0	SM 5210 B	06/14/24 14:30		LEH	10
Nitrate as N	42.5	mg/L	1.00	EPA 300.0 Rev 2.1	06/14/24 0:13		KCS	
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/14/24 0:13		KCS	
Nitrate+Nitrite as N	<42.60	mg/L	1.10	CALCULATED	06/14/24 0:13		KCS	
Nitrogen, Total	<45.10	mg/L	3.60	CALCULATED	06/25/24 2:24		KMS	
Nitrogen, Total Kjeldahl (TKN)	<2.50	mg/L	2.50	EPA 351.2 Rev 2.0	06/25/24		KMS	
Phosphorus as P, Total	0.20	mg/L	0.01	SM 4500-P F	06/20/24		SNF	0.61
Solids, Total Suspended	4	mg/L	1	SM 2540 D	06/17/24		ALD	16

**Lab ID:** 2424187-02    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sampled:** 06/13/24 09:40    **Received:** 06/13/24 15:02  
**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/13/24 15:46	6/14/24 14:21		ZJB	200

**Lab ID:** 2424187-03    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sampled:** 06/13/24 09:40    **Received:** 06/13/24 15:02  
**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	236	mg/L	40.0	SM 5210 B	06/14/24 17:00		LEH	
Solids, Total Suspended	244	mg/L	1	SM 2540 D	06/17/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytics.

Additional accreditations by MD (261)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

# Certificate of Analysis

Laboratory No.: 2425241

Report: 06/28/24

Lab Contact: Rafael A Quijada

**Attention:** Teresa Peachy

**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Worcester Valley Green NPDES - wkly

**Lab ID:** 2425241-01      **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sampled:** 06/20/24 09:05

**Received:** 06/20/24 14:27

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.41	mg/L	0.02	EPA 350.1 Rev 2.0	06/22/24		SNF	2
Carbonaceous Biochemical Oxygen Demand	2.2	mg/L	2.0	SM 5210 B	06/21/24 13:20	B-01	LEH	10
Nitrate as N	42.8	mg/L	1.00	EPA 300.0 Rev 2.1	06/20/24 20:44		JAF	
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/20/24 20:44		JAF	
Nitrate+Nitrite as N	<42.90	mg/L	1.10	CALCULATED	06/20/24 20:44		JAF	
Nitrogen, Total	<43.40	mg/L	1.60	CALCULATED	06/24/24 21:07		KMS	
Nitrogen, Total Kjeldahl (TKN)	<0.50	mg/L	0.50	EPA 351.2 Rev 2.0	06/24/24		KMS	
Phosphorus as P, Total	0.82	mg/L	0.01	SM 4500-P F	06/22/24		SNF	0.61
Solids, Total Suspended	2	mg/L	1	SM 2540 D	06/24/24		ALD	16

**Lab ID:** 2425241-02      **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sampled:** 06/20/24 09:05

**Received:** 06/20/24 14:27

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/20/24 15:13	6/21/24 15:20		ZJB	200

**Lab ID:** 2425241-03      **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sampled:** 06/20/24 09:05

**Received:** 06/20/24 14:27

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	323	mg/L	40.0	SM 5210 B	06/21/24 11:53		AAM	
Solids, Total Suspended	456	mg/L	1	SM 2540 D	06/21/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Certificate of Analysis**

**Laboratory No.:** 2426246

**Report:** 07/17/24

**Lab Contact:** Rafael A Quijada

**Attention:** Teresa Peachy  
**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Worcester Valley Green NPDES - wkly

**Lab ID:** 2426246-01    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sampled:** 06/27/24 09:50    **Received:** 06/27/24 14:41

**Sample Type:** Composite

	<b>Result</b>	<b>Unit</b>	<b>Rep. Limit</b>	<b>Analysis Method</b>	<b>Analyzed</b>	<b>Notes</b>	<b>Analyst</b>	<b>Action Level</b>
<b>General Chemistry</b>								
Ammonia as N	0.91	mg/L	0.02	EPA 350.1 Rev 2.0	06/29/24		SNF	2
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/L	2.0	SM 5210 B	06/28/24 15:22		KMD	10
Nitrate as N	44.8	mg/L	1.00	EPA 300.0 Rev 2.1	06/27/24 16:10		KCS	
Nitrite as N	<0.10	mg/L	0.10	EPA 300.0 Rev 2.1	06/27/24 16:10		KCS	
Nitrate+Nitrite as N	<44.90	mg/L	1.10	CALCULATED	06/27/24 16:10		KCS	
Nitrogen, Total	<45.40	mg/L	1.60	CALCULATED	07/05/24 21:36		NJG	
Nitrogen, Total Kjeldahl (TKN)	<0.50	mg/L	0.50	EPA 351.2 Rev 2.0	07/05/24		NJG	
Phosphorus as P, Total	0.48	mg/L	0.01	SM 4500-P F	06/29/24		SNF	0.61
Solids, Total Suspended	1	mg/L	1	SM 2540 D	06/28/24		ALD	16

**Lab ID:** 2426246-02    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sampled:** 06/27/24 09:50

**Received:** 06/27/24 14:41

**Sample Type:** Grab

	<b>Result</b>	<b>Unit</b>	<b>Rep. Limit</b>	<b>Analysis Method</b>	<b>Incubated</b>	<b>Analyzed</b>	<b>Notes</b>	<b>Analyst</b>	<b>Action Level</b>
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100mL	2	SM 9222 D	6/27/24 17:01	6/28/24 15:39		ZJB	200

**Lab ID:** 2426246-03    **Collected By:** Client  
**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sampled:** 06/27/24 09:50

**Received:** 06/27/24 14:41

**Sample Type:** Composite

	<b>Result</b>	<b>Unit</b>	<b>Rep. Limit</b>	<b>Analysis Method</b>	<b>Analyzed</b>	<b>Notes</b>	<b>Analyst</b>	<b>Action Level</b>
<b>General Chemistry</b>								
Biochemical Oxygen Demand	247	mg/L	40.0	SM 5210 B	06/28/24 13:26		KXS	
Solids, Total Suspended	360	mg/L	1	SM 2540 D	06/28/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)

## **VALLEY GREEN WWTP DITCHES 1 & 2**

## **Worcester**

## **Month: June**

**Year:**

2024

NPDES PERMIT # PA0050939

## **DEC = Decanting**

#1

## Valley Green

Worcester

NPDES PERMIT # PA0050393

Month: June

Year: 2024

#2

DAY	Op Int	Influent		Effluent			Influent PH	Effluent				
		Totalizer	GPD	Totalizer x 10	GPM	MGD		PH	DO	NH3	Phos	NO3
1	JO	21110765	0.123535	3697005	135	0.1429		7.22	8.51	0.2	0.3	
2	JO	21234300	0.131783	3698434	170	0.1773		6.97	8.27	0.2	0.2	
3	JO	21366083	0.143607	3700207	100	0.1358		7.04	8.33	0.2	0.2	
4	JO	21509690	0.141986	3701565	33	0.1320		6.83	8.25	0.2	0.5	
5	JO	21651676	0.106785	3702885	47	0.1281		7.39	8.08	0.2	0.3	
6	JO	21758461	0.000000	3704166	94	0.1509		7.24	8.28	0.2	0.3	
7	JO	21758461	0.000000	3705675		0.1161		7.12	8.37	0.2	0.3	
8	CW	21758461	0.000000	3706836	57	0.1983		6.56	8.48	0.6	0.3	
9	CW	21758461	0.000000	3708819	72	0.1124		7.15	8.48	0.6		
10	JO	21758461	0.000000	3709943	84	0.1566		7.21	8.42	0.4	0.3	
11	JO	21758461	0.000000	3711509	169	0.1459		7.04	8.39	0.4	0.3	
12	JO	21758461	0.000000	3712968	77	0.1021		6.91	8.44	0.3	0.3	
13	JO	21758461	0.000000	3713989	61	0.1505		6.41	8.74	0.3	0.1	
14	JO	21758461	0.000000	3715494	242	0.1481		6.27	8.51	0.3	0.1	
15	MB	21758461	0.000000	3716975	71	0.1228		7.51	8.45	0.3		
16	MB	21758461	0.000000	3718203	139	0.0823		7.98	8.67	0.4		
17	JO	21758461	0.000000	3719026	72	0.2012		7.61	8.53	0.3	0.10	
18	JO	21758461	0.000000	3721038	63	0.1255		7.38	8.42	0.3	0.10	
19	JO	21758461	0.000000	3722293	68	0.1307		7.18	8.11	0.3	0.1	
20	JO	21758461	0.000000	3723600	26	0.1406		7.73	8.62	0.2	0.3	
21	JO	21758461	0.000000	3725006	70	0.1603		7.52	8.45	0.2	0.3	
22	JO	21758461	0.000000	3726609	61	0.1314		7.31	8.38	0.2	0.3	
23	JO	21758461	0.000000	3727923	164	0.1091		7.19	8.29	0.2	0.3	
24	JO	21758461	0.000000	3729014	66	0.1415		6.88	8.36	0.2	0.3	
25	JO	21758461	0.000000	3730429	42	0.1209		7.09	8.42	0.2	0.3	
26	JO	21758461	0.000000	3731638	35	0.1257		6.49	8.22	0.3	0.3	
27	JO	21758461	0.000000	3732895	149	0.1574		6.72	8.38	0.3	0.3	
28	JO	21758461	0.000000	3734469	80	0.1372		6.84	8.43	0.3	0.3	
29	CW	21758461	0.000000	3735841	69	0.1503		6.69	8.43	0.6	0.3	
30	CW	21758461	0.000000	3737344		0.1488		6.27	8.30	0.6	0.3	
31												
		Average:	0.0216			Avg:	0.1394	Min:	6.27	8.08		
		Max:	0.143607			Total:	4.1827	Max:	7.98	8.74		

VALLEY GREEN WWTP

Worcester

NPDES PERMIT # PA0050939

**Month:** June      **Year:** 2024

## Aeration Ditches 1 & 2

#3

VALLEY GREEN WWTP

## **Worcester**

NPDES PERMIT # PA0050939

Month: June Year: 2024

#4

**NPDES PERMIT # PA0050393**

VALLEY GREEN

## Worcester

**Month: June**

**Year:**

2024

#5

**VALLEY GREEN WWTP**

## **Worcester**

**NPDES PERMIT # PA0050393**

## **Month: June**

Year:

2024

#6



June 12, 2024

**WORCE 24002P**

Worcester Township  
**Attn: Jay Finnigan, Interim Township Manager**  
1721 South Valley Forge Road  
P.O. Box 767  
Worcester, Pennsylvania 19490

**RE: ENVIRONMENTAL CONSULTING SERVICES  
WORCESTER TOWNSHIP, PENNSYLVANIA 19403**

**Dear Mr. Finnigan:**

Pennoni has prepared this proposal to provide ad-hoc third-party environmental consulting services to Worcester Township (the Client). The services outlined in this proposal are based on Pennoni's understanding of the Client's needs with respect to environmental consulting.

**SCOPE OF SERVICES**

Pennoni will provide environmental consulting services on an ad-hoc basis as requested by the Client including but not limited to the following:

- environmental site assessments (e.g., Phase I Environmental Site Assessments);
- soil, groundwater, and soil gas investigations;
- site remediation;
- underground storage tank removal;
- environmental regulatory compliance audits and permitting;
- environmental engineering;
- industrial hygiene services including hazardous building material (e.g., asbestos-containing materials, lead-based paint, hazardous materials, etc.) surveys and testing; and
- regulatory agency coordination and communication.

**SCHEDULE**

This proposal includes services provided in the year 2024. Pennoni is prepared to provide the above services upon request. The time required for each type of service will vary.

**FEE**

We will bill for these services in accordance with the attached schedule of fees.

**BILLING AND PAYMENT**

An invoice for professional services completed will be presented for payment on a monthly basis. Invoices are due upon receipt. The Client acknowledges that the method of billing and payment has been discussed in detail, that the terms agreed upon can only be changed by a written addendum agreed to by both parties, and that work may be stopped until payment is made in accordance with the agreement.

**TERMS AND CONDITIONS**

Pennoni Associates Inc. General Terms and Conditions (Form LE01 09/2023) are attached hereto and are considered as part of the scope of services. The Client indicates by the execution of this proposal that they have reviewed and understand the General Terms and Conditions.

Thank you for affording us the opportunity to work with you on this project. If you have any questions, please feel free to call us.

Sincerely,  
**PENNONI ASSOCIATES INC.**

*Michele Briening*

Michele Briening, PE, LSRP, CEM  
Environmental Division Manager

*Khaled R. Hassan*

Khaled R. Hassan, PE  
Vice President

Attachments

Please indicate your acceptance of this proposal by signing and returning a copy as our authorization to proceed. In signing this proposal, the Client authorizes Pennoni to complete the professional services outlined in this proposal.

**ACCEPTED BY:**

---

**(Authorized Representative of the Client)**

---

**(Print Name & Title)**

---

**(Date)**



# Municipal Billing Rates

## 2024 SCHEDULE OF FEES

Pennoni provides engineering consulting services to its clients in accordance with the terms and conditions of our contract. Pennoni's compensation will be based on the following schedule of fees and charges unless our contract specifies otherwise.

LABOR CATEGORY	RATES \$/HOUR
Senior Principal Professional.....	\$260
Principal Professional.....	\$244
Senior Professional.....	\$208
Project Professional .....	\$190
Staff Professional .....	\$188
Associate Professional .....	\$174
Graduate Professional.....	\$150
Technician III .....	\$134
Technician II .....	\$122
Technician I .....	\$118
Survey Crew .....	\$300
Senior Field Technician .....	\$140
Field Technician .....	\$120
Laboratory Technician .....	\$105
Building Code Official .....	\$120
Project Assistant.....	\$ 88

- Add 15% to above Survey Crew rates when OSHA 40-hour training required
- Technical Support/Expert Testimony Fee provided upon request
- 3 Person Survey Crew rates for roadwork provided upon request

"Professional" includes all disciplines (Engineer, Planner, Landscape Architect, Surveyor, Geologist, etc.)

### EXPENSES:

We do not bill for travel expenses, postage, reproduction, or clerical work associated with day-to-day Correspondence.

**WORCESTER TOWNSHIP  
MONTGOMERY COUNTY**

**A RESOLUTION OF THE BOARD OF SUPERVISORS OF WORCESTER  
TOWNSHIP, MONTGOMERY COUNTY, PENNSYLVANIA,  
ESTABLISHING THE COMPENSATION OF THE TOWNSHIP  
MANAGER.**

**WHEREAS**, Section 1301 (b) of the Second Class Township Code, P.L. 350, No 74, as amended, requires the Board of Supervisors to establish the compensation of the Township Manager by Resolution.

**THEREFORE, BE IT RESOLVED AND IT IS HEREBY RESOLVED** on this day that the compensation for the office of Township manager of Worcester Township, Montgomery County be fixed at an annual salary of \$150,000.00 per year, payable bi-weekly (\$5,769.24) from the General Funds of the Township. Effective date of the salary is September 3, 2024. The Township manager is salaried for forty (40) hours per week. Position is Exempt.

Any Resolution or part of this Resolution conflicting with any other Resolution shall be and the same hereby repealed insofar as the same affects this resolution.

**RESOLVED AND ENACTED** this 21<sup>st</sup> day of August 2024.

**BOARD OF SUPERVISORS  
Worcester Township,  
Montgomery County, PA**

**ATTEST:**

---

**John J. Finnigan, Jr., Secretary  
Board of Supervisors**

---

**Richard F. DeLello, Chair  
Board of Supervisors**

# Thomas J. Anderson & Associates, Inc.

MUNICIPAL PENSION SPECIALISTS

115 WESTTOWN RD., STE 101

WEST CHESTER, PA 19382

(610) 430-3385 FAX (610) 430-3387

RECEIVED

August 1, 2024

► AUG 05 2024 ◄

RECEIVED

Ms. Nicole Quagliariello  
Finance Director  
WORCESTER TOWNSHIP  
1721 Valley Forge Road P.O. Box 767  
Worcester, PA 19490


RE: 2025 Financial Requirement and Minimum Municipal Obligation

Dear Nicole:

Enclosed is the Financial Requirement and Minimum Municipal Obligation (MMO) for your municipality's Pension Plan(s) for the upcoming 2025 plan year. Act 205 requires that the Chief Administrative Officer (CAO) of the pension plan(s) shall submit to the governing body of the municipality the financial requirement of the pension plan(s) for the following plan year (2025). This annual report must be presented to the governing body on or before the last business day in September (September 30, 2024).

If you should have any questions concerning any of the above, please do not hesitate to contact me. Upon approval, please forward a signed/dated copy of this 2025 MMO budget(s) for our records.

Sincerely,



JAMES P. KENNEDY  
President

RECEIVED

► AUG 05 2024 ◄

RECEIVED

**FINANCIAL REQUIREMENT AND MINIMUM MUNICIPAL  
OBLIGATION BUDGET FOR 2025**

NAME OF MUNICIPALITY:  
COUNTY:

WORCESTER TOWNSHIP  
MONTGOMERY

NON-UNIFORMED (DC)  
DEF. CONT.

1. TOTAL ANNUAL PAYROLL ( Estimated payroll)	500,000
2. RATE OF CONTRIBUTION AS A % OF PAYROLL (Derived from latest actuarial valuation)	5.00% 1/1/23
3. TOTAL CONTRIBUTION COST (Item 1 times Item 2)	25,000
4. TOTAL ADMINISTRATIVE EXPENSES	0
5. TOTAL FINANCIAL REQUIREMENT (+Item 3 +Item 4 )	25,000
6. MINIMUM MUNICIPAL OBLIGATION	25,000

---

Signature of Chief Administrative Officer

---

Date Certified to Governing Body

# Thomas J. Anderson & Associates, Inc.

MUNICIPAL PENSION SPECIALISTS

115 WESTTOWN RD., STE 101

WEST CHESTER, PA 19382

(610) 430-3385 FAX (610) 430-3387

August 1, 2024

Ms. Nicole Quagliariello  
Finance Director  
WORCESTER TOWNSHIP  
1721 Valley Forge Road P.O. Box 767  
Worcester, PA 19490

RECEIVED

► AUG 05 2024 ◄

RECEIVED

RE: 2025 Financial Requirement and Minimum Municipal Obligation


Dear Nicole:

Enclosed is the Financial Requirement and Minimum Municipal Obligation (MMO) for your municipality's Pension Plan(s) for the upcoming 2025 plan year. Act 205 requires that the Chief Administrative Officer (CAO) of the pension plan(s) shall submit to the governing body of the municipality the financial requirement of the pension plan(s) for the following plan year (2025). This annual report must be presented to the governing body on or before the last business day in September (September 30, 2024).

The payroll amount used in your 2025 budget was computed by obtaining from you, the earnings for the active full-time members of the pension plan(s) as of June 30, 2024 and then doubling this figure in order to arrive at the projected annual payroll for the year in which the budget is prepared. The budgeted administrative expenses were based upon the expenses reported in the plan(s)' most recent Act 205 Actuarial Report.

These reporting requirements will be closely monitored by the Department of the Auditor General in future audits. Therefore, if you should have any questions concerning any of the above, please do not hesitate to contact our office. Upon approval, please forward a signed/dated copy of the 2025 MMO budget(s) for our records.

Sincerely,



JAMES P. KENNEDY  
President

**FINANCIAL REQUIREMENT AND MINIMUM MUNICIPAL  
OBLIGATION BUDGET FOR 2025**

NAME OF MUNICIPALITY:  
COUNTY:

WORCESTER TOWNSHIP  
MONTGOMERY

NON-UNIFORMED (DB)  
PENSION PLAN

RECEIVED  
► AUG 05 2024 ◄  
RECEIVED

1 TOTAL ANNUAL PAYROLL	\$279,238
Estimated Payroll	
2 NORMAL COST AS A PERCENTAGE OF PAYROLL	11.43%
( Derived from latest actuarial valuation )	1/1/23
3 TOTAL NORMAL COST	\$31,917
( Item 1 x Item 2 )	
4 AMORTIZATION REQUIREMENT	\$2,750
( Derived from latest actuarial valuation )	
5 TOTAL ADMINISTRATIVE EXPENSES	\$12,628
(Based on Estimate)	
6 FINANCIAL REQUIREMENT	\$47,295
( + Item 3 + Item 4 + Item 5 )	
7 TOTAL MEMBERS CONTRIBUTIONS	\$0
8 FUNDING ADJUSTMENT	\$0
( Derived from latest actuarial valuation )	
9 MINIMUM MUNICIPAL OBLIGATION	\$47,295
( + Item 6 - Item 7 - Item 8 )	

Signature of Chief Administrative Officer

Date Certified to Governing Body

# **Worcester Township**

## **2024 Fee Schedule**

**Resolution 2024-R-**  
**Adopted August 21, 2024**



1721 Valley Forge Road  
P.O. Box 767  
Worcester, PA 19490-0767

610-584-1410

[www.worcestertwp.com](http://www.worcestertwp.com)

# 2024 FEE SCHEDULE

## Section I - RESIDENTIAL BUILDING PERMITS

permit application fee (non-refundable)	\$ 50.00
new dwellings, per sf	\$ 0.37
building additions & renovations, minimum \$50; per sf	\$ 0.37
decks 30" or more above grade	\$ 105.00
fire suppression or detection systems, standpipes & hose cabinets	\$ 120.00
accessory structures 500 sf and greater	\$ 75.00
generators, plus electrical permit fee	\$ 70.00
windows & doors requiring structural change	\$ 75.00
driveway gates, plus electrical permit fee, if applicable	\$ 75.00
Use & Occupancy permit, temporary or permanent, new homes only	\$ 100.00
miscellaneous construction	by escrow

## Section II - NON-RESIDENTIAL BUILDING PERMITS

permit application fee (non-refundable)	\$ 50.00
new buildings, per sf	\$ 0.43
building additions & renovations	
for the first 500 sf of floor area	\$ 295.00
for each additional 500 sf of floor area or fraction thereof	\$ 200.00
windows & doors requiring structural change; driveway gates	\$ 70.00
driveway gates, plus electrical permit fee, if applicable	\$ 75.00
fire suppression or detection systems, standpipes & hose cabinets	\$ 220.00
generators, plus electrical permit fee	\$ 120.00
construction trailers, plus electrical and mechanical permit fee, if applicable	\$ 90.00
Use & Occupancy permit, temporary or permanent, new construction only	\$ 100.00
Use & Occupancy inspection, tenant change, resale, use change	\$ 100.00
miscellaneous construction	by escrow

## Section III - MECHANICAL, ELECTRICAL & PLUMBING PERMITS

permit application fee (non-refundable)	\$ 50.00
mechanical	\$ 85.00
gas piping installation	\$ 70.00
electrical	\$ 28.00
plumbing	
up to three fixtures	\$ 70.00
each additional fixture	\$ 23.00
water service	\$ 70.00
sewer lateral	\$ 90.00
grinder pump	\$ 63.00
sewer tapping fee, per EDU	\$ 3,200.00

## Section IV - OTHER BUILDING PERMIT & REVIEW FEES

permit application fee (non-refundable)	\$ 50.00
retaining walls 4' or greater in height	\$ 90.00
fences 6' or greater in height	\$ 28.00
pools, spas & hot tubs	
above-ground	\$ 60.00
in-ground	\$ 125.00
solar panels	\$ 120.00
signs	
requires building inspector and zoning officer reviews	\$ 60.00
requires zoning officer review only	\$ 28.00
flag poles	\$ 23.00
antennas & rays	
cell & radio antennas, 50ft and greater in height	\$ 480.00
small wireless facility antenna/array, up to 4 antennae/arrays	\$ 500.00
small wireless facility antenna/array, each additional array	\$ 100.00
small wireless facility pole	\$ 1,000.00
small wireless facility right-of-way use fee, per facility, per year	\$ 270.00
wireless/cell tower	\$ 1,350.00
wireless/cell tower antenna/array, up to 5 antennae/arrays	\$ 365.00
wireless/cell tower, each additional antenna/array	\$ 115.00

## Section IV - OTHER BUILDING PERMIT & REVIEW FEES (continued)

<b>permit application fee (non-refundable)</b>	\$	50.00
<b>demolition permit</b>		
per building demolished or load bearing walls	\$	150.00
interior alteration that does not include load-bearing walls	\$	85.00
accessory structure 1,001 sf or greater	\$	90.00
accessory structure up to 1,000 sf		no fee
<b>below-ground tank, installation or removal, non-propane</b>	\$	58.00
<b>plan review fees</b>		
building plan	\$	140.00
accessibility plans	\$	73.00
mechanical plans	\$	73.00
fire plans	\$	55.00
plumbing plans	\$	73.00
<b>stucco repair</b>	\$	55.00

## Section V - ZONING PERMITS

<b>permit application fee (non-refundable)</b>	\$	50.00
<b>fences and retaining walls</b>	\$	75.00
<b>sidewalks, walkways/pavers, and driveways</b>	\$	75.00
<b>decks, patios, gazebos, and pergolas</b>	\$	125.00
<b>moving or relocating existing accessory structures</b>	\$	125.00
<b>accessory structures/pole barns, and detached garages</b>	\$	125.00
<b>pools</b>	\$	125.00
<b>alternative energy equipment</b>	\$	125.00
<b>residential new construction</b>	\$	125.00
<b>residential additions</b>	\$	125.00
<b>non-residential new construction</b>	\$	125.00
<b>non-residential additions</b>	\$	125.00
<b>signs (permanent and temporary)</b>	\$	125.00
<b>telecommunications facilities</b>	\$	225.00
<b>use permit</b>	\$	125.00

## Section V - ZONING PERMITS (continued)

<b>solicitation permit, per individual soliciting</b>	\$ 28.00
<b>grading &amp; excavation permit</b>	
up to three inspections	\$ 365.00
each additional inspection	\$ 145.00
<b>stormwater management escrow, 7500 sf and greater</b>	\$ 1,000.00

## Section VI - PERMIT & INSPECTION PENALTIES

<b>failure to provide 24 hours notice to cancel inspection cancellation</b>	\$ 50.00
<b>not ready for inspection, per occurrence</b>	\$ 80.00
<b>failure to correct deficiencies found after two inspections, per occurrence</b>	\$ 80.00
<b>penalty fee for failure to obtain a permit, in addition to permit fee</b>	2x permit fee

## Section VII - ZONING HEARING BOARD & UCC APPEAL BOARD FEES

<b>application fee, includes appeals of Zoning Officer determination</b>	
existing residential	\$ 875.00
escrow	\$ 500.00
all others	\$ 1,500.00
escrow	\$ 1,000.00
<b>fee to continue Zoning Hearing Board or UCC Board of Appeals hearing</b>	\$ 325.00
<b>fee to postpone Zoning Hearing Board or UCC Board of Appeals hearing</b>	\$ 350.00
<b>transcript copy</b>	actual
<b>Zoning Officer determination letter</b>	\$ 200.00

## Section VIII - BOARD OF SUPERVISOR FEES

<b>application for Conditional Use hearing</b>	
applicaton fee	\$ 1,500.00
escrow	\$ 1,000.00
fee to continue Conditional Use hearing	\$ 200.00
fee to postpone Conditional Use hearing	\$ 250.00
<b>application to amend the Zoning Map</b>	
applicaton fee	\$ 1,500.00
fee to continue Zoning Map amendment hearing	\$ 400.00
fee to postpone Zoning Map amendment hearing	\$ 450.00
Zoning Map amendment escrow	\$ 2,000.00

## Section VIII - BOARD OF SUPERVISOR FEES (continued)

<b>application to amend the Zoning Ordinance</b>	
applicaton fee	\$ 1,500.00
fee to continue Zoning Ordinance amendment hearing	\$ 200.00
fee to postpone Zoning Ordinance amendment hearing	\$ 250.00
Zoning Ordinance amendment escrow	\$ 2,000.00

<b>validity challenge to the Zoning Ordinance or Zoning Map</b>	
applicaton fee	\$ 2,000.00
fee to continue challenge hearing	\$ 200.00
fee to postpone challenge hearing	\$ 250.00

## Section IX - SUBDIVISION & LAND DEVELOPMENT FEES

<b>Concept Meeting</b>	
application fee	\$ 500.00
escrow	\$ 1,000.00

<b>Subdivision &amp; Land Development, Sketch Plan</b>	
application fee	\$ 1,000.00
escrow	\$ 1,500.00

<b>Subdivision, Residential, 1 to 3 lots</b>	
application fee	\$ 2,000.00
escrow	\$ 6,000.00

<b>Subdivision, Residential, 4 or more lots</b>	
base application fee	\$ 4,500.00
additional dwelling unit fee, <i>per unit, beginning with the 4th lot or unit</i>	\$ 150.00
escrow for plans with 4 to 20 lots/units	\$ 20,500.00
escrow for plans with 21 to 50 lots/units	\$ 24,500.00
escrow for plans with 51 or more lots/units	\$ 34,500.00

<b>Land Development, Non-residential</b>	
base application fee	\$ 5,500.00
additional fee per 1,000 sq. ft. of gross floor area	\$ 50.00
escrow	\$ 16,500.00

<b>Transferable Development Rights</b>	
application fee	\$ 475.00
escrow	\$ 2,500.00

<b>Escrow Releases</b>	
	\$ 110.00

<b>Act 209 Traffic Impact Fee</b>	
North Transportation Service Area, per peak PM trip	\$ 3,977.00
South Transportation Service Area, per peak PM trip	\$ 3,125.00

## Section X - HIGHWAY & ROAD FEES

highway/road occupancy permit	\$ 53.00
highway/road inspection fees	by escrow

## Section XI - SEWER RENTAL FEES & CERTIFICATIONS

<b>sewer rental fee</b>	
quarterly fee, residential	\$ 135.38
quarterly fee, commercial, per 1,000 gallons	\$ 8.82
<b>sewer certification</b>	
certified letter fee	\$ 30.00
property posting	\$ 25.00
water shut off & turn on	\$ 50.00
return check fee	actual

## Section XII - FIRE ALARM FEES

<b>fire alarm system registration fee</b>	no fee
<b>false alarm penalty</b>	
failure to register	\$ 50.00
first and second offenses per year	no fine
third offense per year	\$ 100.00
fourth offense per year	\$ 200.00
fifth and subsequent offenses per year	\$ 300.00

## Section XIII - PARK RENTAL FEES

<b>Community Hall rental fee</b>	
per event, Township resident, Township business/organization use only	\$ 50.00
per event, non-Township resident, non-Township business/organization use only	\$ 100.00
security deposits, by separate check, must be submitted with application	\$ 100.00
<b>pavilion rental fee, Township resident, Township business/organization</b>	
up to 25 individuals	\$ 25.00
26-50 individuals	\$ 50.00
51-75 individuals	\$ 75.00
76-100 individuals, maximum 100 persons per event	\$ 100.00
security deposits, by separate check, must be submitted with application	2X rental fee

<b>pavilion rental fee, non-Township resident, Non-Township business/organization</b>	
up to 25 individuals	\$ 50.00
26-50 individuals	\$ 100.00
51-75 individuals	\$ 150.00
76-100 individuals, maximum 100 persons per event	\$ 200.00

## Section XIII - PARK RENTAL FEES (continued)

security deposits, by separate check, must be submitted with application	2X rental fee
<b>field rental fee, single use, Township resident, Township business/organization</b>	
up to four fours	\$ 25.00
each additional hour	\$ 5.00
<b>field rental fee, single use, non-Township resident, Non-Township business/organization</b>	
up to four fours	\$ 50.00
each additional hour	\$ 5.00
<b>field rental fee, Spring season use (March 1 to July 31)</b>	
one to two days per week, per field	\$ 275.00
three to four days per week, per field	\$ 385.00
five to seven days per week, per field	\$ 550.00
discount for minimum 65% Worcester resident participants	50%
discount for minimum 90% youth participants	25%
<i>discounts may be combined</i>	
<b>field rental fee, Fall season use (August 1 to November 30)</b>	
one to two days per week, per field	\$ 225.00
three to four days per week, per field	\$ 315.00
five to seven days per week, per field	\$ 450.00
discount for minimum 65% Worcester resident participants	50%
discount for minimum 90% youth participants	25%
<i>discounts may be combined</i>	

## Section XIV - TAX COLLECTOR FEES

tax certification	\$ 30.00
duplication of tax bill	\$ 5.00
insufficient funds ( <i>does not include bank fees</i> )	\$ 5.00

## Section XIV - OTHER FEES AND CHARGES

credit card convenience charge, varies by credit card company	actual
Township-authorized services by Township consultants, hourly fee	actual
Township-authorized services by Township consultants, reimbursables	actual
UCC building permit fee, per building permit	\$ 4.50
<b>copies for Right-to-Know requests, in-house copies, per 8.5"x11" single-sided page</b>	
copies for Right-to-Know requests, in-house copies, per 8.5"x11" double-sided page	\$ 0.25
copies for Right-to-Know requests, in-house copies, per 11"x17" single-sided page	\$ 0.50
copies for Right-to-Know requests, in-house copies, per 11"x17" double-sided page	\$ 1.00
copies for Right-to-Know requests, <i>out-of-house copies</i>	actual
media for Right-to-Know requests, thumb drives, DCs, tapes and other storage	actual

## Section XIV - OTHER FEES AND CHARGES (continued)

mileage reimbursement	IRS rate
miscellaneous charges, postage, toll calls, delivery fees, out-of-office copy fees, etc.	actual

### NOTES:

- 1 - *Floor area. Floor Area is measured from outside wall to outside wall.*
- 2 - *New Residential SF Calculation. For new residential construction and additions to existing residential units, square footage shall include living spaces on all floors, basements, attached garages & attics over six feet in height.*
- 3 - *Total Cost Calculation. The total cost of all the construction portions of a project is generally based upon the sum of the construction contract(s) and other direct construction costs; this does not include the compensation paid to the engineer, architect and consultants or the cost of the land. The Township has the final determination in accepting the submitted cost of construction as provided on the permit application and may accept the cost as submitted.*
- 4 - *Township Organization Status. For an organization to qualify as a Township-based organization, at least 65% of participants must reside in Worcester Township. Documentation that verifies participant residency must be furnished to the Township, and the Township has sole discretion in determining if the residency has been established.*
- 5 - *Past Due Invoices. Invoices that are past due by more than thirty (30) days are subject to interest rate charges as provided by law. Charges for services that involve a late fee as stated in this resolution are not included in the amount of the invoice.*
- 6 - *Omissions and Errors. The failure to list, in this Resolution, a fee that is properly listed elsewhere shall not obviate the responsibility to pay that fee.*
- 7 - *"by escrow agreement". Permits for miscellaneous construction and highway/road inspections will be paid with funds posted in escrow. From this escrow the Township will deduct actual costs incurred.*
- 8 - *False fire alarm fines may be reduced or waived by the Fire Marshal if the Fire Marshal determines, in his or her sole discretion, the tenant or property owner is making a good faith effort to address and correct the violation.*

**Worcester Township Board of Supervisors**

Resolved this \_\_\_\_\_ day of \_\_\_\_\_ 2024.

Attest:

---

Township Manager

---

Rick DeLello, Chair

---

Lou Betz, Vice Chair

---

Stephen Quigley, Member